



## Latex, Solvent and UV Printable Fabrics (Direct Pricing)

**VC Poly Banner Light** – An economical light weight 100% polyester fabric with our print receptive polymer coating gives a sheer elegant look to any display or backdrop. Suitable for indoor or outdoor use. 6 mils thick and 4.5 osy.

Width	yds/
	roll
28	x 15
54	x 50
60	x 50

VC Poly Banner Plus – A light weight 100% polyester fabric with our premium print receptive polymer coating for that extra color pop and depth. Ideal for banner stands, backdrop or display. Suitable for indoor or short term outdoor use. 6.5 mils thick and 5.5 osy. Replaces VC Poly Woven 4 oz.

VC Poly Woven 8oz – A rugged 100% polyester base fabric with our printable polymer coating creates a uniform, canvas-like surface. Use indoors or outdoors. 13.5 mils thick and 8 osy.

VC Poly Oxford – A classic oxford weave in 100% polyester with our printable polymer coating. Soft hand and excellent drape. Use indoors or outdoors. 14.5 mils thick and 8 osy.

yds/ roll	Weight/Diar	ne
	43 lbs	7"

VC Cotton Canvas Natural – An unbleached 100% cotton canvas with a clear, flexible print receptive coating provides a rustic, old world look and feel. Can also be litho printed and is suitable for stretching and framing. 20 mils thick and 8 osy.

n	yds/ roll
<b>roll</b> 15	
50	
50	
50	

Stocked sizes include 28". 56" and 76" widths. 54" available upon request.

# Latex, Solvent and UV Printable Fabrics (Direct Pricing)

VC Canvas – Our original poly-cotton canvas with our print receptive polymer coating. Has the look of artist's canvas with a much softer hand and better drape. Suitable for stretching and framing. 20 mils thick and 9 osy.

th	yds/ roll	Weight/Dia
x 15		
x 50		47 lbs
x 50		50 lbs
x 50		58 lbs

Stocked sizes include 28". 56" and 76" widths. 54" available upon request.

VC Canvas 2-Side White – Built upon our VC Canvas this canvas is coated on both sides for increased opacity and 2 side printing. 17 mils thick and 11 osy.

		/ds/ roll
x 15		
x 50	50	
x 50	50	

Available while supplies last please call Customer Service for availability.

AC Canvas – Our original poly-cotton canvas with a traditional acrylic "gesso" coating. A true artist's canvas for latex, solvent or UV digital printing. 18 mils thick and 11 osy.

Width	yds/ roll
28	x 15
54	x 50
56	x 50
60	x 50
76	x 50

Stocked sizes include 28", 56" and 76" widths. 54" and 60" available upon request.

**AC Canvas Semi Gloss** – Our original poly-cotton canvas with a traditional acrylic "gesso" coating and a semi-gloss finish. A true artist's canvas for latex, solvent or UV digital printing. 18 mils thick and 11 osy.

Width	yds/ roll
28	x 15
54	x 50
56	x 50
60	x 50
76	x 50

Stocked sizes include 28", 56" and 76" widths. 54" and 60" available upon request.

AC Canvas Gloss – Our original poly-cotton canvas with a traditional acrylic "gesso" coating and a gloss finish. A true artist's canvas for latex, solvent or UV digital printing. 22 mils thick and 11.5 osy.

/idth	yds/ roll
x 15	
x 50	

Stocked sizes include 28", 56" and 76" widths. 54" and 60" available upon request.



# Latex, Solvent and UV Printable Fabrics (Direct Pricing)

**Malibu Canvas GF** – Malibu Canvas GF is the perfect grand format canvas for high end art reproduction, wall murals, in store signs and graphics and a host of other applications. Made of 100% polyester spun yarn with a tight weave pattern, Malibu has the look and feel of the finest artist canvas. Coated with an acrylic gesso coat for inkjet latex, solvent or UV cure printing.

ith	yd ro	ls/ bll
x 15		
x 50	0	
x 50	0	

**Trio Litho Canvas** – Designed for litho printing but this bright white glossy canvas prints beautifully via solvent or UV digital. Multi-layer coatings front and back provide a uniform surface texture and sheet stability. 18 mils thick and 13 osy.

lth	yds/ roll
8	x 15
	x 50

Aurora 14 Litho Canvas – A lighter weight and more flexible version of our Trio Litho Canvas with a smoother surface texture. 14 mils thick and 9

Weight/E	Diameter p
49 lbs	7"

**Aurora 2 Sided Litho –** Coated on both sides with a traditional acrylic "gesso" coating. Matte surface provides an authentic artist's canvas look. Treated to meet the NFPA 701 flammability standard. 17 mils thick and 10.5 osv. **Litho and UV cure printing only.** 

	yds/ roll	Weight/Dian	n
	x 15		
x 5	0	56 lbs	



Linen SP – Specially pretreated to maximize color pop and control dot gain while maintaining the fabric's soft hand. Linen SP is designed to be compatible with latex, solvent, eco-solvent, and UV inks. The spun yarns give this 100% polyester fabric the look and feel of cotton table linens. 16 mils thick and 7.5 osy.

		yds/	Weig
ro	ro	I	
< 12	12		
< 50	50		75 lbs
< 100	100		150 lbs

Act II SP – Specially pretreated to maximize color pop and control dot gain while maintaining the fabric's soft hand. Act II SP is designed to be compatible with latex, solvent, eco-solvent, and UV inks. Part of our Weaves of Green <sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. A tightly woven plain weave pattern durable enough for short term outdoor use. 17.5 mils thick and 8 osy.

	yds/ roll
x 12	
x 50	
x 100	

**Twill SP** – Specially pretreated to maximize color pop and control dot gain while maintaining the fabric's soft hand. Twill SP is designed to be compatible with latex, solvent, eco-solvent, and UV inks. Ring spun yarns in a twill weave create the look and feel of cotton denim with the durability of polyester. 20 mils thick and 8.5 osy.



Heavy Knit 9 FR – A heavy weight, 100% textured polyester warp knit with a soft hand, excellent drape and wrinkle resistance. Treated to meet the NFPA 701 small scale flammability standard. 9 osv.

Width	yds/ roll	Weight/Diar	meter per roll
30	x 12		
61	x 100	100 lbs	10"
122	x 100	200 lbs	10"

Super Stretch 8 FR – A 95% polyester 5% spandex warp knit fabric with excellent stretch charecteristics. Ideal for tension frames and overhead trade show displays. Treated to meet the NFPA 701 small scale flammability standard. 8 osy.

Width	yds/ roll	Weig	ht/Dian	neter per rol
30	x 12			
61	x 100	90 lk	os	9.5"
122	x 100	180	bs	9.5"

Exhibit Knit 7 FR – A medium weight, 100% textured polyester warp knit with a soft hand, excellent drape and wrinkle resistance. Ideal for banner stands and trade show exhibits. Treated to meet the NFPA 701 small scale flammability standard. 20mil thick and 7 osy.

Stretch Knit 5 FR – A medium weight, 100% textured polyester warp knit. Perfect for trade show applications with side stretch, soft hand, excellent drape, and wrinkle resistance. Treated to meet the NFPA 701 small scale flammability standard. 5 oz/sqyd.

	yds/	Weight/Diar	ne
	roll		
x 12			
x 100		60 lbs	
x 100		120 lbs	

Multi-Knit 4 – A very versitile 100% polyester warp knit fabric with a soft hand, excellent drape and wrinkle resistance. Can be used for exhibits, flags, table covers and many other applications Treated to meet the NFPA 701 small scale flammability standard. 4 osy.

h	yds/ roll
x 12	2
x 100	
x 100	

Soft Satin Knit FR – A versatile 100% polyester warp knit fabric with a pearl finish, silky satin textured surface, and a soft hand with excellent drape. Perfect for a high end look at an economical price! Treated to meet the NFPA 701 small scale flammability standard. 4.1 osy.

/idth	yds/ roll	Weight/Dia	m
x 12	1		
x 100		50 lbs	
x 100		100 lbs	

Ultimate Knit FR – Ultra smooth and ultra soft describes this 100% polyester warp knit fabric; along with a bright white finish, excellent drape, and wrinkle resistance. The ultimate in high end knits! Treated to meet NFPA 701 small scale flammability standard. 7.4 osy.

yds/ roll	yds/ roll	Weight/Diar	me
1	Ť		
		86 lbs	
		197 lbs	



White/Black/White – A triple layered construction made of 100% polyester and 100% opaque. A black light blocking layer is sandwiched between two bright white layers. Treated to meet NFPA 701 small scale flammability standard. 7.5 osy.

Width		/ds/
Width		roll
30	х	12
59	х	50
118	х	50

**Triple White FR** – A triple layered construction made of 100% polyester. No pinholes and great light diffusion properties make this fabric perfect for backlit or front lit applications and many other uses. Versatile enough to be your all-in-one fabric! Treated to meet NFPA 701 small scale flammability standard.7.4 osy.

**Durable Flag FR –** A rugged 100% polyester open constructed warp knit fabric. Ideal for indoor/outdoor flag and banner applications. Treated to meet the NFPA 701 small scale flammability standard. 4.3 osy.

yds/ roll

**Universal Flag** – An open constructed, 100% polyester warp knit fabric which is ideal for outdoor flag and banner applications. Compatible with disperse direct, dye sublimation transfer and UV cure\* print technologies. 3.2 osy.

th		/ds/ roll
x 12		
x 100	00	
x 100	00	

Oxford – A 100% polyester in a classic oxford weave. Achieve a canvas-like look with transfer dye sub printing. 15.5 mils thick and 6.3 osy.

Width	yds/ roll	Weight/Diar	meter per roll
30	x 12		
55	x 100	 71 lbs	8.25"

**Taffeta –** This versatile 100% polyester fabric has a silky, satin, textured surface. Perfect for a high end look at an economical price. 6 mils thick and 3.4 osy.

Linen – Spun yarns give this 100% polyester fabric the look and feel of cotton table linens. 16 mils thick and 7 osy.

Width	yds/ roll			Weight/Diameter per roll	
30	x 12				
60	x 100			70 lbs	9.5"
120	x 100	 		140 lbs	9.5"



**Linen FR** – Spun yarns give this 100% polyester fabric the look and feel of cotton table linens. Treated to meet the NFPA 701 flammability standard. 16 mils thick and 7 osy.

ı	yds/ roll	W	Veight/Dian	ne
x 12				
x 100		7	70 lbs	9.5
x 100		14	40 lbs	9.5

Chintz – A light weight, semi-sheer 100% polyester fabric with a smooth satin surface, soft hand and superb drape. 6.5 mils thick and 4 osy.

Width	yds/ roll	 			 Weight/Diameter per roll	
30	x 12					
86	x 100			-	42 lbs	6"

**Pique** – A medium weight, durably constructed 100% polyester fabric with a distinctive weave, soft hand and excellent drape. 13.5 mils thick and 6 osy.

Weight/Diame

Pack Cloth – An extremely heavy-duty 100% polyester fabric with a coarse surface texture. Rugged and durable but soft to the touch. 19 mils thick and 8.5 osy.

Width	yds/ roll	Weight/Diar	neter per roll
30	x 12		
55	x 100	 90 lbs	9"

**Upholstery** – Tightly woven ring spun yarns give this polyester fabric the rich look and feel of fine cotton upholstery. 19 mils thick and 8 osy.

Width	yds/ roll		Weight/D	amet
30	x 12			$\top$
x 1	00		84 lbs	
х	100		 167 lbs	

**Upholstery FR** – Tightly woven ring spun yarns give this polyester fabric the rich look and feel of fine cotton upholstery. Treated to meet the NFPA 701 flammability standard. 19 mils thick and 8 osy.

	yds/	Weight/Dia	me
Width	roll		
0	x 12		
	x 100	84 lbs	
20	x 100	167 lbs	



Twill – Ring spun yarns in a twill weave create the look and feel of cotton denim with the durability of polyester. 20 mils thick and 8 osy.

Width	yds roll			 	 Weight/Diar	neter per roll
30	x 12	Т				
60	x 100	)			69 lbs	9.25"
120	x 100	)	 	 	138 lbs	9.25"

**Twill FR** – Ring spun yarns in a twill weave create the look and feel of cotton denim with the durability of polyester. Treated to meet the NFPA 701 flammability standard. 20 mils thick and 8 osy.

FR Sateen – This super-soft, luxurious fabric is woven with yarns made from inherently fire retardant 100% polyester fiber. Satin sheen with a soft hand and supple drape. Meets the NFPA 701 flammability standard. 16 mils thick and 7 osy.

#### WEAVES of GREEN

Encore FR – Part of our Weaves Of Green<sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. Encore<sup>™</sup> FR is constructed of spun yarns which give it the drape and hand of a natural fiber fabric but with a rugged texture and the durability of polyester. Encore<sup>™</sup> FR is treated to meet the NFPA 701 small scale flammability standard for indoor use but is also durable enough for short term outdoor use. 20 mils thick and 10 osy.

Width		yds/ roll		Weight/Dia
х	,	12	T T	
x		100		109 lbs
<b>x</b> 1	1	100		218 lbs

#### WEAVES of GREEN

Act II – Part of our Weaves Of Green<sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. A tightly woven plain weave pattern durable enough for short term outdoor use. 17.5 mils thick and 7.5 osy.



Act II FR – Part of our Weaves Of Green<sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. A tightly woven plain weave pattern durable enough for short term outdoor use. Treated to meet the NFPA 701 flammability standard. 17.5 mils thick and 7.5 osy.



### WEAVES of GREEN 🐠

**RePlay2** – Part of our Weaves Of Green<sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. A tightly woven poplin weave pattern with a smooth surface texture. 4.6 osy.

Width yds/ roll	
x 12	
k 100	
K 100	

### WEAVES of GREEN

**RePlay2 FR** – Part of our Weaves Of Green<sup>™</sup> collection of polyester fabrics made from 100% recycled plastic drink bottles. A tightly woven poplin weave pattern with a smooth surface texture. Treated to meet the NFPA 701 flammability standard. 4.6 osy.

Width	Width yds roll		Weight/Dia	meter per
30	x 12	2		
60	x 100	0	50 lbs	9
120	x 100	0	 100 lbs	9

#### Poplin – A traditional, light weight poplin construction in 100% polyester. Soft hand and good drape characteristics. 11 mils thick and 3.5 osy.

Width	yds/ roll	Weight/Dia	ght/Diameter per roll	
30	x 12			
60	x 100		40 lbs	7"
120	x 100		80 lbs	7"

**Poplin FR** - A traditional, light weight poplin construction in 100% polyester. Soft hand and good drape characteristics. Treated to meet the NFPA 701 flammability standard. 11 mils thick and 3.5 osy.

	yds/
roll	
12	T
: 100	
x 100	

#### Economy Poplin 72 - A traditional poplin construction in 100% polyester with a soft hand and good drape characteristics. 13 mils thick and 5.5 osy.

w	lidth	yds/ roll	 			 Weight/Diar	neter per roll
	30 x	12					
	72 x	100				40 lbs	7"

**Premium Poplin FR -** A cut above typical dye sub poplins. Heavier weight and a luxurious finish combined to make a truly "premium" polyester fabric. Treated to meet the NFPA 701 flammability standard. 14 mils thick and 5.8 osy.

Width yds/ roll			Weight/Diar	n
12		-		
: 100			67 lbs	8
. 100			134 lbs	

