




ARLON



[www.bciimage.com](http://www.bciimage.com)  
866 971-1008



FLEXIBLE SUBSTRATES





## ► Flex

### ***Premium Flexible Substrates***

Arlon flexible substrates were developed primarily for improving large signage integrity in high-wind velocity areas while offering excellent performance and reliability.

#### ***DPF 390***

DPF 390 is a white seamless 19 oz. wide-width flexible substrate designed for large sign faces where durability and uniform light transmission are important. DPF 390 is recommended for digital printing, PSA translucent vinyl and other film decoration methods. It is compatible with Arlon's Series 2500 translucent vinyl and has a 6-year outdoor durability.

For more information on DPF 390, click [here](#).

#### ***Flexface® FX V2***

Flexface FX V2 is a 19 oz. flexible, reinforced, vinyl substrate coated with a UV protective FX coating. This flexible substrate is used in the sign and awning industries for backlit graphic applications. The FX protective coating is designed for pressure sensitive vinyl applications. Flexface® FX V2 is compatible with Arlon's Series 2500 Cast Translucent film and has an outdoor durability of 10 years.

For more information on Flexface® FX V2, click [here](#).

#### ***ColorKote™ TC***

Created for signage, awnings and canopies, ColorKote™ TC is a first-rate eradicable, white, cast 21 oz. PVC flexible substrate offered in 20 colors. Using premium inks, the color fastness is further protected with a unique clear topcoat to provide an extended warranty. ColorKote™ TC is designed for long-term corporate signage. Compatible with Arlon's Series 2500 and Plastiprint® FX, ColorKote™ TC has an outdoor durability of 10 years.

For more information on ColorKote™, click [here](#).

#### ***Eradicolor***

Eradicolor is a cast 18 oz. eradicable flexible substrate ideal for backlit awnings and signage with predominantly single background colors. Available in 15 popular colors, designs, logos and copy may be added through eradication, inlaying additional colors with translucent vinyl or heat transfer films where desired. Eradicator is rated for an outdoor durability of 6 years.

For more information on Eradicator, click [here](#).




# DUNKIN' DONUTS



Custom ColorKote™ TC

## ► ColorKote™ TC

*Eradicable 21 oz. Flexible, Reinforced, Coated Vinyl Substrate*



Ivory - 2146



Yellow - 2037



Yellow - 1090



Yellow - 2016



Orange - 2119



Bright Red - 0132



Tomato Red - 2662




Red - 2410



Red - 2283



Burgundy - 2020



Black (Opaque) - 2025



Cerise - 2260



Light Green - 4355



Holly Green - 2108



Teal - 5020



Turquoise - 3220



Light Blue - 2649



Blue - 2930



Royal Blue - 2870



Blue - 2114

### FEATURES

- Available in 20 premium colors
- Up to 10-year outdoor durability
- Available in custom colors, stripes and finishes with 500' minimums

For more information on ColorKote™, click [here](#).





Eradicolor - Royal Blue 2870



ColorKote™ TC - Yellow 2037

## ► Eradicator

*Eradicable 18 oz. Back-Lit Awning and Sign Fabric*



Lt. Yellow - 2037



Dark Yellow - 2016



Orange - 2119



Tomato Red - 2662




Red - 2510



Medium Red - 2283



Burgundy - 2020



Black (opaque) - 2025



Lt. Green - 4355



Holly Green - 2108



Teal Blue - 5019



Dark Green - 4048



Blue - 2930



Royal Blue - 2870



Blue - 2114

### FEATURES

- Available in 15 eye-catching colors
- Up to 6-year outdoor durability

For more information on Eradicator, click [here](#).



[www.bciimage.com](http://www.bciimage.com)  
866 971-1008



Arlon's Total Warranty System (TWS) provides a guarantee when using various Arlon products together. Arlon's TWS has you covered!

**ARLON**



**ARLON**



# Ultimate PremiumPlus™

Wrapped in Blue Aluminum, Sunkiss Aluminum, Matte White and Matte Black by: FunkeeFish

Featuring: **SOTT**



Wrapped in FI Racing Red by: Midwest Wraps



Wrapped in Brushed Silver by: One Hundred Tuning Club. Image courtesy of AIKA.

# Ultimate PremiumPlus™

Featuring: **SOTT**

An extremely attractive, smooth and flexible cast PVC film for wrapping the most difficult of surfaces. Perfectly suited for use on smooth convex or concave surfaces. This film consists of multiple cast layers giving it a sturdy and stable feel during application. The color, metallic effect and structure remain consistent during heat shrinking.

Ultimate PremiumPlus™ can also be applied in the most extreme channels and around rivets. This film has a very light initial adhesion which allows any corrections to be made with ease. Adhesion increases with time.

This new generation of cast carwrap film is intended to resemble the degree of gloss, color clarity and appearance of a painted car as much as possible. In short, a tremendous asset for the professional carwraper.

For more information on Ultimate PremiumPlus, click [here](#).

MATTE EFFECTS



644 - Yellow Aluminum



642 - Heat Wave



645 - Sunkiss Aluminum



619 - Red Aluminum



646 - Hot Pink Aluminum



633 - Cyber Grape



622 - Matte Light Blue



631 - Blue Aluminum



623 - Deep Ocean



614 - Matte Steel Blue




634 - Mariana Blue



643 - Green Aluminum



616 - Aztec Bronze



632 - Tundra




621 - Chocolate Brown




615 - Matte Aluminum



617 - Matte Steel




620 - Matte Frozen Grey




618 - Gunpowder


SATIN



501 - Satin Pearl White



500 - Satin Black



515 - Starry Night



516 - Galaxy Black



Wrapped in Hot Pink Aluminum by: Restyleit



Wrapped In Electric Lime by: Allstar Applies



Wrapped In Hornet Metallic by: SIA Restyling





MATTE



627 - Fierce Orange



629 - F1 Racing Red




628 - Manga Pink



630 - 911 Matte Riviera Blue




626 - Toxic Green



624 - Combat Green



601 - Matte White




625 - Combat Grey



600 - Matte Black


METALLIC



241 - Hornet Metallic



235 - Midnight Purple



228 - Blue Mist




229 - Daytona Blue



222 - Levi's Blue Metallic



232 - Diamond Black




231 - Mineral Fusion



225 - Bronze Metallic



227 - Brown Metallic




221 - White Metallic




224 - High Silver Metallic



223 - Gunmetal Metallic



220 - Thundercloud Metallic



226 - Black Metallic

GLOSS EFFECTS



233 - Lemon Drop



234 - Cosmopolitan Pink



206 - 911 Gloss Riviera Blue




Wrapped in Green Aluminum. Image courtesy of SOTT.

For the latest news, updates and current color list, please visit:  
[www.arlonautomotive.com](http://www.arlonautomotive.com) - [www.ultimatepremiumplus.com](http://www.ultimatepremiumplus.com)

# Ultimate PremiumPlus™


## PEARLESCENT



314 - Focus Orange ☉



306 - Red Pearl



310 - Lady Red Pearl



315 - Lipstick



312 - Blue Pearl




313 - Focus Green ☉



305 - Pearl White




307 - Pearl Silver



311 - Gunsteel Pearl


## CANDY COLORS




855 - Electric Lime




854 - Citrine



856 - True Blood



851 - Tropical Pink



852 - Amethyst


## BRUSHED




619BR - Brushed Red Aluminum



604BR - Brushed Army Gold




507BR - Brushed Silver




603BR - Brushed Black Metallic

## CARBON FIBER



519CF - Carbon Fiber Red Aluminum



504CF - Carbon Fiber Army Gold



502CF - Carbon Fiber White



503CF - Carbon Fiber Black

### FEATURES

- 100 micron (4-mil), multi-layered with special topcoat
- Automotive-X™ adhesive with low initial tack
- Long life expectancy (3-5 years), even on hoods and roofs
- Resistant to gasoline
- Available in 152cm (60in) x 22,85m (25yd)
- Easily positionable throughout installation
- Extremely elastic (150%) and fully workable with a heat gun
- Restorative properties when stretched and repositioned
- Perfect for application over rivets, ridges, convex and concave surfaces
- Wraps bumpers, mirrors, car hoods, etc with ease

### FOOTNOTE REFERENCE GUIDE

- ☉ Color may change slightly on a dark colored surface.
- Durability of each color may vary. Please refer to our technical datasheet for details.
- The colors shown above may vary from the original and are indicative only to serve as an example. For the actual colors, please refer to your supplier and ask for a color sample.



www.bciimage.com  
866 971-1008



ARLON




DPF 5200



DPF 500



DPF 4500LX



DPF 390



DPF 8000



# PRINT MEDIA PRODUCTS

DPF 6000XRP & SERIES 3220 Overlaminated  
Designed and Wrapped By: Raccoon London, Ltd.



[www.bciimage.com](http://www.bciimage.com)  
866 971-1008

January 2015

USA:  200 Boysenberry Lane, Placentia, CA 92870, USA	800 232 7161 / 714 985 6300	800 329 2756
EUROPE:  North Sea Building, Gevers Deynootweg 93, 4th Floor, 2586BK Den Haag, The Netherlands	+31 0 70 354 4311	+31 0 70 355 7721
UK:  P6 Parklands, Heywood Distribution Park, Heywood, Lancashire OL102TT, UK	+44 0 161 884 0592	+31 0 70 355 7721
INDIA:  4F1 Court Chambers 35, New Marines Lines, Mumbai 400 020, India	+91 99 6755 3895	

[arlon.com](http://arlon.com)



## ARLON

### ARLON GRAPHICS

*CREATING INNOVATIVE MATERIALS FOR VISUAL EXPRESSION*

Arlon, established in 1958 near Los Angeles, California, is a leading global manufacturer of pressure sensitive adhesive vinyls for the sign and graphics industry. As one of the world's most experienced casting companies, Arlon has gained a worldwide reputation for quality and innovation.

CATEGORY	PRODUCT	APPLICATIONS	PAGES
PREMIUM CAST FILM (OPAQUE, CLEAR & TRANSLUCENT)	DPF 6000XRP	AUTOMOTIVE	2
	DPF 6000RP WHITE	AUTOMOTIVE	2
	DPF 6000RP CLEAR	BACKLIT IDENTITY SIGNAGE	8
	DPF 6500	BACKLIT IDENTITY SIGNAGE	8
	DPF 6700	BUILDING WRAPS	4
PREMIUM SPECIALTY FILMS	DPF 8000	BUILDING WRAPS	4
	DPF 4600LX	AUTOMOTIVE	2
	DPF 4300	AUTOMOTIVE, INTERIOR DECOR	2, 6
	DPF 2400	INDUSTRIAL	20
WINDOW FILMS	DPF 45WF	AUTOMOTIVE	2
	DPF 47WF	BUILDING WRAPS	4
	DPF 50WD WHITE / CLEAR	PROMOTIONAL	16
INTERMEDIATE CALENDERED FILMS	DPF 4500LX / GX	COMMERCIAL SIGNAGE	10
	DPF 4560GTX / MTX	COMMERCIAL SIGNAGE	10
	DPF 4560GT / MT	COMMERCIAL SIGNAGE	10
	DPF 4500G WHITE / CLEAR	COMMERCIAL SIGNAGE	10
INDUSTRIAL GRADE FILMS	DPF 9000	INDUSTRIAL	20
	DPF 4000	INDUSTRIAL	20
	DPF 2000	INDUSTRIAL	20
PROMOTIONAL & INTERIOR FILMS	DPF 500	PROMOTIONAL	16
	DPF 540	PROMOTIONAL	16
	DPF 206	INTERIOR DÉCOR	6
	DPF 207	INTERIOR DÉCOR	6
	DPF 208	PROMOTIONAL	16
	DPF 210 / DPF 210PB	PROMOTIONAL	16
	DPF 215	PROMOTIONAL	16
	DPF 5200	INTERIOR DÉCOR	6
BANNER & FLEXIBLE SUBSTRATES	DPF 303	PROMOTIONAL BANNER	18
	DPF 308	PROMOTIONAL BANNER	18
	DPF 310BB	PROMOTIONAL BANNER	18
	DPF 313	PROMOTIONAL BANNER	18
	DPF 315	PROMOTIONAL BANNER	18
	DPF 318	PROMOTIONAL BANNER	18
	DPF 350 / DPF 355	BACKLIT IDENTITY SIGNAGE	8
	DPF 380 / DPF 385	BACKLIT IDENTITY SIGNAGE	8
	DPF 390	BACKLIT IDENTITY SIGNAGE	8
OVERLAMINATES	SERIES 3200	SPECIALTY OVERLAMINATES	14
	SERIES 3210	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3220	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3420	PREMIUM GRAPHIC OVERLAMINATES	12
	SERIES 3350	SPECIALTY OVERLAMINATES	14
	SERIES 3590	SPECIALTY OVERLAMINATES	14

Visit: **WRAPITRIGHT.COM** INDUSTRY LEADING "HOW TO" VIDEOS

Powered By: **ARLON**



Designed and Wrapped in DPF 6000XRP and Series 3220 by:

**RACCOON**  
EFFECTIVE VEHICLE BRANDING



DPF 4600LX

## ▶ DPF 6000XRP No Primer, No Problem

DPF 6000XRP is a gloss white cast film with bubble releasing, tinted, repositionable, permanent pressure-sensitive adhesive. The X-Scape system allows installers to achieve speedy installation while maintaining high enough tack to ensure long-term bond. Designed for large format graphics, DPF 6000XRP is made of premium quality cast face stock with a lay-flat liner. The adhesive system is designed to provide excellent opacity as well as easy installation. The film provides superior conformability around rivets, curves and contours. DPF 6000XRP is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used.

For more information on DPF 6000XRP, click [here](#).

Certified for  
HP Latex Inks

### FACE FILM THICKNESS

Cast Vinyl  
2-Mil (50 Micron)

### ADHESIVE

Clean Removing,  
Repositionable  
(Light Gray)

### RELEASE LINER

Lay-Flat Polycoated  
with X-Scape Technology

### FINISH

Gloss

### FILM LIFE (UNPRINTED)

7 Years

### AVAILABLE WIDTHS

30" / 48" / 54" / 60"

### AVAILABLE LENGTHS

60' ♦ / 150'

### COMPATIBLE OVERLAM

Series 3220  
Series 3210  
Series 3200

### PRINTER COMPATIBILITY

Eco-Solvent / Solvent  
UV / Latex

### APPLICATIONS

Fleet  
Full Vehicle Wraps  
Partial Vehicle Wraps

	DPF 6000XRP	DPF 4600LX	DPF 6000RP WHITE	DPF 4300	DPF 45WF
<b>DESCRIPTION</b>	Premium Cast Film with X-Scape Technology	Premium Wrap Film	Premium Cast Film	Intermediate Multi-Purpose Removable Film	One-Way View Window Film
<b>FACE FILM THICKNESS</b>	Cast Vinyl 2-Mil (50 Micron)	High Performance Vinyl 3.2-Mil (80 Micron)	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 3.5-Mil (90 Micron)	Calendered Vinyl 6-Mil (150 Micron)
<b>ADHESIVE</b>	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Clean Removing, Repositionable (Light Gray)	Removable (Clear)	Clean Removing, Low Tack (Clear)
<b>RELEASE LINER</b>	Lay-Flat Polycoated with <b>X-Scape TECHNOLOGY</b>	Lay-Flat Polycoated with Low Profile <b>X-Scape TECHNOLOGY</b>	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
<b>FINISH</b>	Gloss	Gloss	Gloss	Matte	Satin
<b>APPLICATIONS</b>	Fleet Full Vehicle Wraps Partial Vehicle Wraps	Partial Fleet Wraps Partial Vehicle Wraps Vehicle Decals	Fleet Full Vehicle Wraps Partial Vehicle Wraps	Painted Walls Windows Removable Vehicle Decals	One-Way Window Graphics Vehicle Window Graphics 60/40 Perf Pattern
<b>FILM LIFE (UNPRINTED)</b>	7 Years	5 Years	7 Years	4 Years	1 Year
<b>AVAILABLE WIDTHS</b>	30" / 48" / 54" / 60"	30" / 54" / 60"	30" / 48" / 54" / 60"	54"	54" / 60"
<b>AVAILABLE LENGTHS</b>	60' ♦ / 150'	150'	60' ♦ / 150'	150'	164'
<b>COMPATIBLE OVERLAM</b>	Series 3220 Series 3210 Series 3200	Series 3210 Series 3220	Series 3220 Series 3210 Series 3200	Series 3220	Series 3200
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent / Solvent UV / Latex <b>Certified for HP Latex Inks</b>	Eco-Solvent / Solvent UV / Latex <b>Certified for HP Latex Inks</b>	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV

♦ Only available in 54" width.

Wrapped in DPF 8000 White by:  
**OFF THE WALL**  
Signs & Graphics



Wrapped in DPF 6700 by:  
**7IGAR Now**

## ▶ DPF 8000

### The Hard-to-Stick Surface Solution

DPF 8000 is the ultimate premium film for hard to stick surfaces. A durable film combined with a high tack adhesive system allows you to use one film for all your difficult projects from plastic dirt bikes to textured wall graphics. Apply DPF 8000 with heat on textured wall graphics and it will conform to slight contours and textures easily. Match up DPF 8000 with one of our many overlamine options to customize the finish of your hard-to-stick surface projects.

For more information on DPF 8000, click [here](#).

Certified for  
**HP Latex Inks**

#### FACE FILM THICKNESS

Calendered Vinyl  
3.5-Mil (90 Micron)

#### ADHESIVE

High Tack Adhesive for  
Hard-to-Stick  
Surfaces (Clear)

#### RELEASE LINER

Lay-Flat Polycoated

#### FINISH

Satin

#### FILM LIFE (UNPRINTED)

7 Years

#### AVAILABLE WIDTHS

30" / 49" / 54" / 60"

#### AVAILABLE LENGTHS

150' / 300'

#### COMPATIBLE OVERLAM

Series 3220 / Series 3210  
Series 3420 / Series 3590

#### PRINTER COMPATIBILITY

Eco-Solvent / Solvent  
UV / Latex

#### APPLICATIONS

Wall Murals  
ABS Plastics  
Rough Surfaces  
Brick, Concrete  
and Stucco Walls



Wrapped in DPF 47WF by:  
**OFF THE WALL**  
Signs & Graphics

	DPF 8000	DPF 6700	DPF 47WF
<b>DESCRIPTION</b>	Industrial Grade Film with Adhesive for Hard-to-Stick Surfaces	Premium Cast Wall Wrap Film	One-Way View Window Film
<b>FACE FILM THICKNESS</b>	Calendered Vinyl 3.5-Mil (90 Micron)	Cast Vinyl 2-Mil (50 Micron)	Calendered Vinyl 6-Mil (150 Micron)
<b>ADHESIVE</b>	High Tack Adhesive for Hard-to-Stick Surfaces (Clear)	Permanent (Clear)	Clean Removing Low Tack (Clear)
<b>RELEASE LINER</b>	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
<b>FINISH</b>	Satin	Gloss	Satin
<b>APPLICATIONS</b>	Wall Murals ABS Plastics Rough Surfaces Brick, Concrete and Stucco Walls	Wall Murals Hard-to-Stick Surfaces Unpainted Brick, Concrete and Stucco Walls	One-Way Window Graphics Building Window Graphics 70/30 Perf Pattern
<b>FILM LIFE (UNPRINTED)</b>	7 Years	7 Years	1 Year
<b>AVAILABLE WIDTHS</b>	30" / 49" / 54" / 60"	30" / 48" / 54" / 60"	54" / 60"
<b>AVAILABLE LENGTHS</b>	150' / 300'	150'	164'
<b>COMPATIBLE OVERLAM</b>	Series 3220 / Series 3210 Series 3420 / Series 3590	Series 3220 / Series 3210 Series 3200	Series 3200
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent / Solvent UV / Latex <b>Certified for HP Latex Inks</b>	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV

DPF 5200

## ▶ DPF 5200

### *Premium Decorative Window Film*

DPF 5200 is a premium decorative film that simulates an etched glass finish for interior or exterior applications. Available in three standard finishes, DPF 5200 is an ideal film to transform glass or clear substrates into elegant designs. Further customize graphics by printing on any of the finishes with standard digital print systems. DPF 5200 is the perfect choice for projects where a high quality film for decorative etched glass designs is required.

For more information on DPF 5200, click [here](#).

#### FACE FILM THICKNESS

Cast Vinyl  
2-Mil (50 Micron)

#### ADHESIVE

Permanent (Clear)

#### RELEASE LINER

Lay-Flat Synthetic

#### FINISH

Standard Etched Glass  
Silver Etched Glass  
Sparkle Etched Glass

#### FILM LIFE (UNPRINTED)

7 Years

#### AVAILABLE WIDTHS

24" / 30" / 48" / 60"

#### AVAILABLE LENGTHS

30' / 150'

#### PRINTER COMPATIBILITY

Eco-Solvent / Solvent / Latex


#### APPLICATIONS

Window Graphics  
Mirrors  
Partitions  
Glass or Clear Substrates  
Interior & Exterior Applications

	DPF 5200	DPF 206	DPF 207	DPF 4300
DESCRIPTION	Printable Etched Glass Cast Window Film	Removable Coated Wall Fabric	Removable Wall Decoration Film	Intermediate Multi-Purpose Removable Film
FACE FILM THICKNESS	2-Mil (50 Micron)	6-Mil (150 Micron)	6-Mil (150 Micron)	Calendered Vinyl 3.5-Mil (90 Micron)
ADHESIVE	Permanent (Clear)	Removable (Clear)	Removable (Clear)	Removable (Clear)
RELEASE LINER	Lay-Flat Synthetic	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
FINISH	Standard Etched Glass Silver Etched Glass Sparkle Etched Glass	Matte	Matte	Matte
APPLICATIONS	Window Graphics Mirrors Partitions Glass or Clear Substrates Interior & Exterior Applications	Indoor Advertising POP Trade Shows Retail Home Décor	Indoor Advertising POP Trade Shows Retail Home Décor	Painted Walls Windows Removable Vehicle Decals
FILM LIFE (UNPRINTED)	7 Years	1 Year	1 Year	4 Years
AVAILABLE WIDTHS	24" / 30" / 48" / 60"	54"	54"	54"
AVAILABLE LENGTHS	30' / 150'	100'	150'	150'
COMPATIBLE OVERLAMINATE	N/A	N/A	N/A	Series 3220
PRINTER COMPATIBILITY	Eco-Solvent Solvent / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent / Solvent UV / Latex



DPF 390



DPF 350

DPF 6000RP CLEAR

## ▶ DPF 390

*Durable Flex, Versatile Decoration Methods*

DPF 390 is a heavy weight white media for back illuminated signage and awnings. The material lights up brightly and uniformly whether it is used in a fluorescent or LED lighting system. This soft, flexible substrate is easy to work with and can be installed in a variety of tensioning systems. The smooth surface can be decorated with a wide variety of methods – direct print using Eco-Solvent, Solvent, UV and Latex digital inks, screen printing, heat transfer vinyl and pressure sensitive translucent vinyl application. DPF 390 is designed to handle high ink saturation for single-sided or double-sided printing without incurring additional material stretch.

For more information on DPF 390, click [here](#).

**FACE FILM THICKNESS**  
19.5-oz

**FILM LIFE (UNPRINTED)**  
6 Years

**PROTECTIVE COATING**  
Acrylic

**YARN**  
500 x 500 Denier  
18 x 18 Thread Count

**AVAILABLE WIDTHS**  
3'6" / 4'6" / 6'6" / 8'6"  
10'6" / 12'6" / 16'4"

**PRINTER COMPATIBILITY**  
Eco-Solvent / Solvent  
UV / Latex

**FINISH**  
Satin

**AVAILABLE LENGTHS**  
164'

**APPLICATIONS**  
Backlit Illuminated Signs  
LED or Fluorescent Light Boxes  
Awnings

	DPF 390	DPF 350 / DPF 355 †	DPF 380 / DPF 385 †	DPF 6000RP CLEAR	DPF 6500
<b>DESCRIPTION</b>	Backlit Printable Flex	Smooth Promotional (Backlit)	Smooth Promotional (Backlit)	Premium Clear Cast Film	Premium Translucent Cast Film
<b>FACE FILM THICKNESS</b>	19.5-oz White Polyester Scrim	15-oz White Polyester Scrim	18-oz White Polyester Scrim	Cast Vinyl 2-Mil (50 Micron)	Cast Vinyl 2-Mil (50 Micron)
<b>YARN</b>	500 x 500 Denier 18 x 18 Thread Count	500 x 500 Denier	500 x 500 Denier	N/A	N/A
<b>ADHESIVE</b>	N/A	N/A	N/A	Permanent (Clear)	Permanent (Clear)
<b>RELEASE LINER</b>	N/A	N/A	N/A	Lay-Flat Polycoated	Lay-Flat Polycoated
<b>FINISH</b>	Satin	Gloss	Gloss	Gloss	Gloss
<b>APPLICATIONS</b>	Backlit Illuminated Signs LED or Fluorescent Light Boxes Awnings	Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications	Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications	Windows Second Surface Signs	Backlit Illuminated Signs POP Displays
<b>FILM LIFE (UNPRINTED)</b>	6 Years	DPF 350 - 1 Year DPF 355 - 3 Years	DPF 380 - 1 Year DPF 385 - 3 Years	7 Years	7 Years
<b>AVAILABLE WIDTHS</b>	3'6" / 4'6" / 6'6" / 8'6" 10'6" / 12'6" / 16'4"	Custom order 38" to 196"	Custom order 38" to 196"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
<b>AVAILABLE LENGTHS</b>	164'	Custom order up to 164'	Custom order up to 164'	150'	60' ♦ / 150'
<b>COMPATIBLE OVERLAMINATE</b>	N/A	N/A	N/A	Series 3200	Series 3210 / Series 3220 Series 3200 / Series 3350
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV

♦ Only available in 54" width. †DPF 350/DPF 355 and DPF 380/DPF 385 are only available in container orders.





## ▶ DPF 4500LX

**Low Cost + Low Profile Air Egress**

DPF 4500LX is an easy to install solution for your short to medium-term permanent applications. The bright white gloss finish has built in opacity to maintain the integrity of the printed graphic. Permanent adhesive with low profile X-Scape Technology allows for easy installation and long-term bond. DPF 4500LX is the best value air egress vinyl for everyday sign applications.

For more information on DPF 4500LX, click [here](#).

### FACE FILM THICKNESS

Calendered Vinyl  
3-Mil (75 Micron)

### ADHESIVE

Permanent, Opaque  
(Light Gray)

### RELEASE LINER

Lay-Flat Polycoated  
with low profile X-Scape  
Technology

### FINISH

Gloss

### FILM LIFE (UNPRINTED)

5 Years

### AVAILABLE WIDTHS

30" / 48" / 54" / 60"

### AVAILABLE LENGTHS

150'

### COMPATIBLE OVERLAM

Series 3420

### PRINTER COMPATIBILITY

Eco-Solvent / Solvent  
UV / Latex

### APPLICATIONS

POP Displays  
Flat Surfaces  
Medium-Term Graphics

	DPF 4500LX / GX	DPF 4560GTX / MTX	DPF 4560GT / MT	DPF 4500G WHITE / CLEAR
DESCRIPTION	Intermediate Digital Film with X-Scape Technology	Intermediate Digital Film with X-Scape Technology	Intermediate Digital Film	Intermediate Digital Film
FACE FILM THICKNESS	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 3-Mil (75 Micron)
ADHESIVE	Permanent, Opaque LX - (Light Gray) GX - (Clear)	Permanent, Opaque GTX - (Light Gray) MTX - (Dark Gray)	Permanent, Opaque (Dark Gray)	Permanent (Clear)
RELEASE LINER	Lay-Flat Polycoated with <b>X-Scape</b> TECHNOLOGY	Lay-Flat Polycoated with <b>X-Scape</b> TECHNOLOGY	Lay-Flat Polycoated	DPF 4500G White (Clay Coated) DPF 4500G/M Clear (Lay-Flat Polycoated)
FINISH	Gloss	Gloss / Matte	Gloss / Matte	Gloss / Gloss Clear Matte Clear
APPLICATIONS	POP Displays Flat Surfaces Medium-Term Graphics	POP Displays Outdoor Signage Medium-Term Graphics Tradeshaw Graphics	POP Displays Outdoor Signage Blockout Applications Mounted Prints Medium-Term Graphics	POP Displays Second Surface ♦ Windows ♦ Medium-Term Graphics
FILM LIFE (UNPRINTED)	5 Years	5 Years	5 Years	5 Years
AVAILABLE WIDTHS	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
AVAILABLE LENGTHS	150'	150'	150'	150'
COMPATIBLE OVERLAM	Series 3420	Series 3420 Series 3220 Series 3210	Series 3420 Series 3220 Series 3210	DPF 4500G White (Series 3420) DPF 4500G/M Clear (Series 3200)
PRINTER COMPATIBILITY	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex * <b>Certified for HP Latex Inks</b>	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex ▲

\* DPF 4560GTX is certified for HP Latex Inks. ♦ Use with DPF 4500G/M Clear. ▲ Not compatible with DPF 4500G White.



Designed and Wrapped In DPF 6000XRP and Series 3220 by:

**RACCOON**  
EFFECTIVE VEHICLE BRANDING



Series 3210 Overlaminate with DPF 8000 White



Series 3420 Overlaminate with DPF 4500G White

## ► Series 3220

### Multiple Finishes, Consistent Performance

Series 3220 overlaminates are premium cast protective films available in multiple finishes to help customize your graphics. Designed to protect and prolong the life of printed images, Series 3220 can be used on day to day signage as well as your specialty applications. Customize your images by choosing from the Gloss, Luster, Satin and Matte finishes. Regardless of the finish you select, Series 3220 offers the same performance and durability. Match up with Arlon's print media films to produce vibrant graphics.

For more information on Series 3220, click [here](#).

**FACE FILM THICKNESS**

Cast Vinyl  
2-Mil (50 Micron)

**ADHESIVE**

Permanent (Clear)

**RELEASE LINER**

Clay Coated

**FINISH**

Gloss / Luster  
Satin / Matte

**FILM LIFE (UNPRINTED)**

7 Years

**AVAILABLE WIDTHS**

30" / 48" / 54" / 60"

**AVAILABLE LENGTHS**

60' ♦ / 150'

**RECOMMENDED VINYL**

DPF 6000XRP  
DPF 6000RP White  
DPF 6500  
DPF 6700  
DPF 4600LX  
DPF 4560GTX  
DPF 4300  
DPF 8000

	SERIES 3220	SERIES 3210	SERIES 3420
<b>DESCRIPTION</b>	Premium Cast Overlaminate	Premium Cast Overlaminate	Premium Calendered Overlaminate
<b>FACE FILM THICKNESS</b>	Cast Vinyl 2-Mil (50 Micron)	Cast Vinyl 1.3-Mil (35 Micron)	Calendered Vinyl 3-Mil (75 Micron)
<b>ADHESIVE</b>	Permanent (Clear)	Permanent (Clear)	Permanent (Clear)
<b>RELEASE LINER</b>	Clay Coated	Clay Coated	Clay Coated
<b>FINISH</b>	Gloss / Luster / Satin / Matte	Gloss	Gloss / Satin / Matte
<b>RECOMMENDED VINYL</b>	DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 4600LX DPF 4560GTX DPF 4300 DPF 8000	DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 8000 DPF 4600LX	DPF 4570GTX DPF 4560GTX / MTX DPF 4560GT / MT DPF 4500LX / GX DPF 4500G White DPF 8000
<b>FILM LIFE (UNPRINTED)</b>	7 Years	7 Years	5 Years
<b>AVAILABLE WIDTHS</b>	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"	30" / 48" / 54" / 60"
<b>AVAILABLE LENGTHS</b>	60' ♦ / 150'	150'	60' ♦ / 150'

♦ Only available in 54" width.

# SPECIALTY OVERLAMINATES



Wrapped in Series 3590 Overlaminates with DPF 8000 White by:



Series 3350 Overlaminates with DPF 390

## ► Series 3590 Heavy Duty Protection

Series 3590 is a heavy duty overlaminates perfect for protecting graphics where extra abrasion resistance is required. The added thickness of the laminate makes application of decals easy. Series 3590 is the ultimate protection option to extend the life of decals while providing a high gloss finish. Combine with our DPF 8000 for a vibrant, long lasting graphic to decorate your motocross bikes.

For more information on Series 3590, click [here](#).

	SERIES 3590	SERIES 3200	SERIES 3350
<b>DESCRIPTION</b>	Heavy Duty Calendered Overlaminates	High Gloss Optically Clear Cast Overlaminates	Anti-Graffiti PVDF
<b>FACE FILM THICKNESS</b>	Calendered Vinyl 12-Mil (305 Micron)	Cast Vinyl 2-Mil (50 Micron)	PVDF 2-Mil (50 Micron)
<b>ADHESIVE</b>	Permanent (Clear)	Permanent (Clear)	Permanent (Clear)
<b>RELEASE LINER</b>	Clay Coated Kraft Liner	Polyester	Lay-Flat Polycoated
<b>FINISH</b>	Gloss	Gloss	Satin
<b>RECOMMENDED VINYL</b>	DPF 8000	DPF 6000XRP DPF 6000RP White DPF 6000RP Clear DPF 6500 DPF 6700 DPF 4500G/M Clear DPF 2400 DPF 45WF DPF 47WF DPF 50WD Clear	Most DPF and Screenprint Films
<b>FILM LIFE (UNPRINTED)</b>	2 Years	7 Years	10 Years
<b>AVAILABLE WIDTHS</b>	54" / 60"	30" / 54" / 60"	49" / 54"
<b>AVAILABLE LENGTHS</b>	30' / 75'	25' ♦ / 60' ♦ / 100' / 150'	150'

♦ Only available in 54" width.

**FACE FILM THICKNESS**  
Calendered Vinyl  
12-Mil (305 Micron)

**ADHESIVE**  
Permanent (Clear)

**RELEASE LINER**  
Clay Coated Kraft Liner

**FINISH**  
Gloss

**FILM LIFE (UNPRINTED)**  
2 Years

**AVAILABLE WIDTHS**  
54" / 60"

**AVAILABLE LENGTHS**  
30' / 75'

**RECOMMENDED VINYL**  
DPF 8000



Wrapped in Series 3200 Overlaminates with DPF 2400 by: **TRANSFORMER GRAPHICS**



DPF 500



DPF 540

## ► DPF 500

*Low Cost, General Purpose*

DPF 500 is a low cost solution for your short-term, permanent applications. It is available in either flat matte or high gloss finish in both white and clear vinyl. DPF 500 has a solvent based adhesive that provides better adhesive and cohesive strength. Choose between clear or gray-tinted adhesive for additional opacity. DPF 500 is the best value vinyl for every day, flat surface applications.

For more information on DPF 500, click [here](#).



**FACE FILM THICKNESS**

Calendered Vinyl  
3-Mil (75 Micron)

**ADHESIVE**

Removable or Permanent  
(Clear)

Removable or Permanent  
(Gray-Tinted)

**RELEASE LINER**

Kraft Liner

**FINISH**

Matte / Gloss / Gloss Clear

**FILM LIFE (UNPRINTED)**

2 Years

**AVAILABLE WIDTHS**

30" / 54" / 60"

**AVAILABLE LENGTHS**

150' / 164'

**COMPATIBLE OVERLAM**

DPF 500 Clear

**PRINTER COMPATIBILITY**

Eco-Solvent / Solvent / UV

**APPLICATIONS**


Short-Term Signage  
Real Estate  
POP  
Trade Shows  
Kiosks

	DPF 500	DPF 540	DPF 50WD WHITE / CLEAR	DPF 208	DPF 210 / 210PB	DPF 215
<b>DESCRIPTION</b>	Calendered Promotional Film	Calendered Promotional Film	Removable Window Decal Film	Eco Roll-Up Polypropylene	Roll-Up Xtreme Polyester	Pop-Up Film
<b>FACE FILM THICKNESS</b>	Calendered Vinyl 3-Mil (75 Micron)	Calendered Vinyl 4-Mil (100 Micron)	Calendered Vinyl 3.5-Mil (90 Micron) White 4-Mil (100 Micron) Clear	8-Mil (200 Micron)	9.8-Mil (250 Micron)	14.5-Mil (370 Micron)
<b>ADHESIVE</b>	Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted)	Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted)	Removable (Clear)	N/A	N/A	N/A
<b>OPACITY</b>	N/A	N/A	N/A	80%	90%	90%
<b>RELEASE LINER</b>	Kraft Liner	Kraft Liner	Lay-Flat Polycoated	N/A	N/A	N/A
<b>FINISH</b>	Matte / Gloss Gloss Clear	Matte / Gloss	DPF 50WD White - Matte DPF 50WD Clear - Gloss	Satin	Satin / Pebble ▲	Satin
<b>APPLICATIONS</b>	Short-Term Signage Real Estate POP Trade Shows Kiosks	Short-Term Signage Real Estate POP Trade Shows Kiosks	Window Decals & Displays Appliance Decals High Energy Surfaces Horizontal Application (Non-Floor Graphics)	Indoor Advertising POP Trade Shows Retail Roll-Up Displays	Indoor Advertising POP Trade Shows Retail Roll-Up Displays	Indoor Advertising POP Trade Shows Retail
<b>FILM LIFE (UNPRINTED)</b>	2 Years	2 Years	DPF 50WD White 2 Years DPF 50WD Clear 1 Year	1 Year	1 Year	1 Year
<b>AVAILABLE WIDTHS</b>	30" / 54" / 60" ♦	30" / 54" / 60"	54" / 60"	36" / 50"	36" / 50" / 60"	36"
<b>AVAILABLE LENGTHS</b>	150' / 164' ♦	150'	150'	98'	98' / 164'	98'
<b>COMPATIBLE OVERLAM</b>	DPF 500 Clear	DPF 500 Clear	Series 3420 / Series 3200	N/A	N/A	N/A
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent / Solvent UV / Latex	Eco-Solvent Solvent	Eco-Solvent Solvent	Eco-Solvent Solvent

▲ Pebble finish available in 36" and 50" width X 98' length only. Environmentally Friendly. ♦ Custom order other sizes.



DPF 313 1000D



DPF 303



DPF 310BB

## DPF 313

### Multi-Purpose Banner

DPF 313 is a front lit 13-oz., snow white, scrim PVC banner. Available in matte or high gloss, both finishes are smooth and yield high print resolution and image quality. DPF 313 is available in 1000 denier and features superior lay flat, curl resistant and tear resistant properties.

For more information on DPF 313, click [here](#).

Certified for  
HP Latex Inks



#### FACE FILM THICKNESS

13-oz  
White Polyester Scrim

#### YARN

1000D

#### OPACITY

97%

#### FINISH

Gloss / Matte

#### FILM LIFE (UNPRINTED)

1 Year

#### AVAILABLE WIDTHS

30" / 38" / 48" / 54"  
60" / 63" / 72" / 98"  
126" / 196" (1000D)  
Custom order other sizes

#### AVAILABLE LENGTHS

120' (1000D)  
150' (1000D)  
164' (1000D≥72")  
Reverse Wound  
(1000D≥72")  
Custom order other sizes ▲

#### PRINTER COMPATIBILITY

Eco-Solvent / Solvent  
UV / Latex

#### APPLICATIONS

Indoor/Outdoor Advertising  
Billboards (1000D)  
Stadium Graphics

	DPF 313	DPF 303	DPF 308*†	DPF 310BB	DPF 315	DPF 318
<b>DESCRIPTION</b>	Front Lit Smooth Promotional Banner	Super Smooth Blockout, Double Sided	Mesh with or without PVC liner	Front-Lit Lightweight Black-Back	Economical Double Sided (Blockout)	Intermediate Double Sided (Blockout)
<b>FACE FILM THICKNESS</b>	13-oz White Polyester Scrim	13-oz White Polyester Scrim	8-oz White Polyester Mesh	9-oz White Polyester Scrim	15-oz White Polyester Scrim	18-oz White Polyester Scrim
<b>YARN</b>	1000D	250D	1000D	1000D	500D	1000D
<b>OPACITY</b>	97%	100%	N/A	100%	100%	100%
<b>FINISH</b>	Gloss / Matte	Satin	Matte	Matte	Gloss / Matte ♦	Gloss / Matte ♦
<b>APPLICATIONS</b>	Indoor/Outdoor Advertising Billboards (1000D) Stadium Graphics	Merchandising Displays High-Res. Graphics	Indoor Merchandising Film, TV, Theater Outdoor Advertising Building Wraps	Billboards Outdoor Advertising Short-Term Graphics	Indoor/Outdoor Advertising Billboards Indoor Hanging Graphics	Flag Poles Indoor/Outdoor Advertising Indoor/Outdoor Hanging Graphics
<b>FILM LIFE (UNPRINTED)</b>	1 Year	1 Year	1 Year	1 Year	1 Year	1 Year
<b>AVAILABLE WIDTHS</b>	30" / 38" / 48" 54" / 60" / 63" 72" / 98" / 126" 196" (1000D) Custom order other sizes	38" / 54" / 62" 102" / 126" Custom sizes available	Custom Order 54" - 196"	126" / 196" Custom order other sizes	38" / 54" / 62" Custom order other sizes up to 196"	38" / 54" Custom order other sizes up to 196"
<b>AVAILABLE LENGTHS</b>	120' (1000D) 150' (1000D) 164' (1000D≥72") Reverse Wound (1000D≥72") Custom order other sizes ▲	150' Custom order other sizes up to 164'	150* Custom order other sizes up to 164'	164' Custom order other sizes	150' Custom order other sizes up to 164'	75' / 150' Custom order other sizes up to 164'
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent Solvent UV / Latex  Certified for HP Latex Inks	Eco-Solvent Solvent UV / Latex	Eco-Solvent Solvent / UV	Eco-Solvent Solvent / UV	Eco-Solvent Solvent UV / Latex	Eco-Solvent Solvent UV / Latex

\*DPF 308 (15% Air Flow). ▲ 72" or greater available in 164' and reverse wound. ♦ Double-sided printed recommended on Matte.  
†DPF 308 is only available in container orders.



DPF 2400 with Series 3200 Overlaminates

## ▶ DPF 2400

### Eye Popping Images, Long Lasting Results

DPF 2400 is a premium digitally printable reflective film, with a clear permanent adhesive. A conformable formulation designed for decoration of decals on fleet and vehicles. Combine with Series 3200, optically clear overlaminates to add a high gloss finish and protect graphics for long lasting results. Brighten up your vehicle graphics at night with DPF 2400.

For more information on DPF 2400, click [here](#).



**FACE FILM THICKNESS**  
Opaque Reflective Vinyl  
5-Mil (125 Micron)

**ADHESIVE**  
Permanent  
(Clear)

**RELEASE LINER**  
Lay-Flat Polycoated

**FINISH**  
Gloss

**FILM LIFE (UNPRINTED)**  
7 Years

**AVAILABLE WIDTHS**  
48.5"

**AVAILABLE LENGTHS**  
30' / 150'

**COMPATIBLE OVERLAM**  
Series 3200

**PRINTER COMPATIBILITY**  
Eco-Solvent / Solvent

**APPLICATIONS**  
Vehicle Decals  
Fleet Markings

	DPF 2400	DPF 9000	DPF 4000	DPF 2000
<b>DESCRIPTION</b>	Fleet Grade** Digitally Printable Reflective Film	Industrial Grade Film	Industrial Grade Film	Industrial Grade Film
<b>FACE FILM THICKNESS</b>	Opaque Reflective Vinyl 5-Mil (125 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)	Opaque Calendered Vinyl 3.5-Mil (90 Micron)
<b>ADHESIVE</b>	Permanent (Clear)	Heat, Solvent Resistant Permanent (Clear)	Permanent (Clear)	Removable (Clear)
<b>RELEASE LINER</b>	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated	Lay-Flat Polycoated
<b>FINISH</b>	Gloss	Satin	Satin	Satin
<b>APPLICATIONS</b>	Vehicle Decals Fleet Markings	Gasoline Pumps Recreational Vehicles Fleet Markings Boats	Rail/Ocean Containers POP Displays Fleet Markings Recreational Vehicles	Bus/Transit Graphics Removable Interior Wall Graphics Billboards Die-Cut Letters
<b>FILM LIFE (UNPRINTED)</b>	7 Years	7 Years	7 Years	7 Years
<b>AVAILABLE WIDTHS</b>	48.5"	30" / 49" / 54" / 60"	30" / 49" / 54" / 60"	30" / 49" / 54" / 60"
<b>AVAILABLE LENGTHS</b>	30' / 150'	150'	150'	150'
<b>COMPATIBLE OVERLAM</b>	Series 3200	Series 3420 / Series 3220	Series 3420 / Series 3220	Series 3420 / Series 3220
<b>PRINTER COMPATIBILITY</b>	Eco-Solvent / Solvent	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex	Eco-Solvent / Solvent UV / Latex

\*\*Fleet grade exceeds engineering standards.



Series 5000



Series 5500



Series 2500



Series 4500

# CUT GRAPHICS COLOR GUIDE



Series 2100



Series 2100

## ► Series 2100 / Series 2200

### *High Performance Cast Film*

#### FEATURES

- 83 vibrant colors
- Premium 2-mil (50 micron) cast vinyl with permanent adhesive
- Outdoor Durability:
  - Black and White .....10 Years
  - Colors .....8 Years
  - Metallics .....6 Years
- Available in 15", 24", 30", 48" and 60"

#### CARACTERÍSTICAS

- 83 colores vibrantes
- Vinilo Fundido de 50 micrones (2-mil) premium con adhesivo permanente
- Duración en Exteriores:
  - Blanco y Negro ..... 10 Años
  - Colores ..... 8 Años
  - Metalicos ..... 6 Años
- Disponible en 15", 24", 30", 48" y 60"

For more information on Series 2100 / Series 2200, click [here](#).

#### FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

- ‡ 5 year outdoor durability
- ◆ Color uses silver-tinted adhesive

#### GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/ objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato objeto.

- ‡ Durabilidad exterior de 5 años
- ◆ Este color utiliza un adhesivo de tinta plateado



# PREMIUM CAST OPAQUE FILMS

 <b>48</b> Camel Beige	 <b>12</b> Burgundy	 <b>37</b> Medium Blue Metallic	 <b>78</b> Coral	 <b>98</b> Slate Green
 <b>27</b> Fawn	 <b>39</b> Burgundy Metallic ♦ ‡	 <b>05</b> Blue	 <b>280</b> Terra Cotta	 <b>70</b> Palm Oyster Gray
 <b>105</b> Lemon Yellow	 <b>76</b> Magenta	 <b>17</b> Sapphire Blue	 <b>85</b> Cocoa	 <b>81</b> Titanium
 <b>67</b> Primrose Yellow	 <b>58</b> Dark Magenta	 <b>111</b> Viking Blue	 <b>08</b> Brown	 <b>28</b> Dove Gray
 <b>06</b> Yellow	 <b>56</b> Hot Pink	 <b>66</b> Medium Blue	 <b>35</b> Brown Metallic	 <b>80</b> Graphite
 <b>165</b> Chrome Yellow	 <b>63</b> Violet	 <b>30</b> Dark Blue Metallic	 <b>79</b> Kiwi	 <b>50</b> Medium Gray
 <b>97</b> Light Orange	 <b>75</b> Lavender	 <b>93</b> Light Navy	 <b>69</b> Apple Green	 <b>07</b> Silver Metallic ♦ ‡
 <b>83</b> Bright Orange	 <b>74</b> Royal Purple	 <b>65</b> Midnight Blue	 <b>61</b> Kelly Green	 <b>21</b> Smoke Metallic ‡
 <b>96</b> Tangerine	 <b>99</b> Bright Purple	 <b>11</b> Dark Blue	 <b>106</b> Medium Green	 <b>52</b> Dark Gray
 <b>73</b> Poppy	 <b>62</b> Purple	 <b>120</b> Pearl ‡	 <b>24</b> Dark Green	 <b>23</b> Charcoal Metallic
 <b>220</b> Perfect Match Red	 <b>92</b> Wedgewood Blue	 <b>26</b> Oyster	 <b>86</b> Forest Green	 <b>40</b> Matte Black
 <b>223</b> Peacock Red	 <b>51</b> Aruba Blue	 <b>84</b> Eggshell	 <b>230</b> Bottle Green	 <b>03</b> Black
 <b>14</b> Tomato Red	 <b>31</b> Ocean Blue	 <b>68</b> Beige	 <b>87</b> Aqua Green	 <b>49</b> Matte White
 <b>221</b> Geranium	 <b>18</b> Olympic Blue	 <b>164</b> Sandstone	 <b>88</b> Mint Green	 <b>02</b> White
 <b>60</b> Bright Cardinal Red	 <b>166</b> Periwinkle	 <b>167</b> Moss Green	 <b>89</b> Aqua Blue	 <b>00</b> Clear
 <b>42</b> Cardinal Red	 <b>32</b> Azure Blue	 <b>04</b> Gold Metallic ‡	 <b>71</b> Teal	
 <b>01</b> Red	 <b>250</b> Intense Blue	 <b>59</b> Imitation Gold	 <b>53</b> Dark Bahama Blue	

# ► Series 2500

## Cast Translucent Film

 <b>2037</b> Yellow	 <b>43</b> Light Tomato Red ▼	 <b>63</b> Rust Brown	 <b>557</b> Imperial Blue	 <b>3227</b> Bright Green
 <b>15</b> Yellow ▼	 <b>83</b> Regal Red	 <b>59</b> Dark Brown	 <b>2940</b> Blue	 <b>26</b> Green ▼
 <b>1090</b> Yellow	 <b>33</b> Red ▼	 <b>69</b> Duranodic	 <b>3238</b> European Blue	 <b>4028</b> Green
 <b>525</b> Bright Yellow	 <b>2885</b> Fox Red	 <b>22</b> Black ▼	 <b>36</b> Dark Blue	 <b>76</b> Holly Green
 <b>125</b> Golden Yellow	 <b>2510</b> Red	 <b>57</b> Olympic Blue	 <b>2114</b> Blue	 <b>2108</b> Green
 <b>25</b> Sunflower	 <b>73</b> Dark Red	 <b>337</b> Process Blue	 <b>87</b> Royal Blue ▼	 <b>112</b> Olive Green
 <b>169</b> Marigold	 <b>253</b> Cardinal Red ▼	 <b>127</b> Intense Blue	 <b>236</b> Turquoise	 <b>51</b> Silver Gray
 <b>84</b> Tangerine	 <b>2283</b> Red	 <b>2930</b> Blue	 <b>246</b> Teal	 <b>71</b> Shadow Gray
 <b>2119</b> Orange	 <b>49</b> Burgundy ▼	 <b>67</b> Bright Blue	 <b>307</b> Dark Aqua	 <b>20</b> White ▼
 <b>44</b> Orange	 <b>78</b> Vivid Rose	 <b>2051</b> Blue	 <b>106</b> Brilliant Green	 <b>05</b> Ivory
 <b>2662</b> Red	 <b>133</b> Raspberry	 <b>97</b> Bristol Blue ▼	 <b>2586</b> Green	 <b>121</b> Silver Metallic
 <b>415</b> Fire Red	 <b>128</b> Plum	 <b>157</b> Sultan Blue ▼	 <b>146</b> Lt. Kelly Green	 <b>131</b> Gold Metallic
 <b>143</b> Poppy Red	 <b>2856</b> Purple	 <b>2870</b> Blue	 <b>156</b> Vivid Green ▼	

For more information on Series 2500, click [here](#).

### FEATURES

- 2-mil (50 micron) cast vinyl with permanent adhesive and synthetic liner
- 7 year outdoor durability for bright and vivid colors, even on the most demanding applications
- Viable for thermoforming
- Supports high volume wet applications
- Available in 24", 30", 48" and 60" by 10 yds and 50 yds

NOTE: For extended film warranties and custom color requests, contact Arlon Customer Service at: 1.800.232.7161.

### CARACTERÍSTICAS

- Vinilo fundido de 50 micrones (2-mil) premium con adhesivo permanente y respaldo sintético
- 7 años de duración en exteriores con colores brillantes y vibrantes, hasta en las aplicaciones más exigentes
- Viable para termoformado
- Soporta la producción en aplicaciones húmedas de alto volumen
- Disponible en 24", 30", 48" y 60" por 10 yardas y 50 yardas

AVISO: Para solicitudes de garantía prolongada de la película y colores especiales, póngase en contacto con su representante de ventas local.

# PREMIUM CAST TRANSLUCENT FILMS

## ► Series 5500

### Diffuser Film

- Designed for second surface application for internally illuminated signage
- Available in 60% and 30% transmission
- 7 year outdoor durability
- Available in 48" by 10 yds and 50 yds

- Diseñada para aplicación de segunda superficie para señalización iluminada internamente
- Disponible en transmisión de 60% y de 30%
- 7 años de duración en exteriores
- Disponible en 48" por 10 yardas y 50 yardas



**70**  
Diffuser  
Film



**30**  
Diffuser  
Film



For more information on Series 5500, click [here](#).

## ► Series 5570

### Blockout Film

- Ideal for internally illuminated signage and displays where light transmission is not desired
- Excellent initial tack and ultimate adhesion
- Superior release and weedability
- Custom Colors available upon request
- 5 year outdoor durability
- Available in 48" by 50 yds

- Ideal para señalización iluminada internamente y para exhibidores en los que no se desea la transmisión de la luz
- Excelente adherencia inicial y adhesión final
- Depilación y remoción superior
- Colores especiales disponibles a pedido
- 5 años de duración en exteriores
- Disponible en 48" por 50 yardas



**120**  
White



**122**  
Black




For more information on Series 5570, click [here](#).

## ► Series 5590

### Dual Color Film

- Allows internally illuminated signs to be seen as one color during the day and either white or a second color at night
- Available in black and white
- Custom Colors sheets available upon request
- 5 year outdoor durability
- Available in 48" by 10 yds and 50 yds

- Permite que señalización iluminada internamente se vea de un color durante el día y blanco o de otro color de noche
- Excelente adherencia inicial y adhesión final
- Disponible en negro y blanco
- Colores especiales disponibles a pedido
- 5 años de duración en exteriores
- Disponible en 48" por 10 yardas y 50 yardas



**120**  
White



**122**  
Black



For more information on Series 5590, click [here](#).

### FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

- ★ Indicates opaque film, not translucent
- ▼ 60" rolls available

### GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato/objeto.

- ★ Indica una película opaca, no translúcida
- ▼ Rollos de 60" disponible













## ► Series 5000

### Premium High Gloss Calendered Vinyl Film

	<b>168</b> Daisy Yellow		<b>160</b> Bright Cardinal Red		<b>137</b> Blueberry		<b>108</b> Brown		<b>134</b> Cloud Gray
	<b>116</b> Lemon Yellow		<b>173</b> Dark Red		<b>193</b> Viking Blue		<b>180</b> Terra Cotta		<b>149</b> Light Gray
	<b>106</b> Yellow		<b>112</b> Burgundy		<b>130</b> Dark Blue		<b>159</b> Imitation Gold		<b>103</b> Black
	<b>119</b> Light Orange		<b>110</b> Purple		<b>171</b> Teal		<b>182</b> Beige		<b>102</b> White
	<b>109</b> Orange		<b>176</b> Dark Purple		<b>164</b> Spring Green		<b>104</b> Gold Medal ▼		<b>100</b> Clear
	<b>114</b> Tomato Red		<b>118</b> Olympic Blue		<b>111</b> Green		<b>107</b> Silver ▼		
	<b>133</b> Fire Red		<b>198</b> Medium Blue		<b>135</b> Imperial Green		<b>150</b> Dark Gray		
	<b>101</b> Red		<b>105</b> Blue		<b>186</b> Forest Green		<b>140</b> Gray		

## ► Series 4500

### Premium Satin Calendered Vinyl Film

	<b>68</b> Daisy Yellow		<b>31</b> Rose		<b>71</b> Teal		<b>41</b> Tusk		<b>49</b> Matte White
	<b>06</b> Yellow		<b>10</b> Purple		<b>43</b> Fluorite Green		<b>04</b> Gold Medal ▼		
	<b>09</b> Orange		<b>36</b> Mission Blue		<b>60</b> Spring Green		<b>07</b> Silver ▼		
	<b>33</b> Fire Red		<b>05</b> Blue		<b>11</b> Green		<b>34</b> Cloud Gray		
	<b>01</b> Red		<b>37</b> Blueberry		<b>61</b> Medium Green		<b>03</b> Black		
	<b>12</b> Burgundy		<b>50</b> Royal Blue		<b>35</b> Imperial Green		<b>40</b> Matte Black		
	<b>32</b> Cotton Candy		<b>30</b> Dark Blue		<b>08</b> Brown		<b>02</b> White		



#### FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

▼ 4 year exterior durability

#### GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato objeto.

▼ Durabilidad exterior de 4 años

# INTERMEDIATE CALENDERED FILM

## FEATURES

- Available in 37 colors
- Easy to handle 2.8-mil (70 micron) high gloss calendered vinyl with permanent adhesive
- Up to 6-years outdoor durability
- Available in 24" and 48" by 50 yds

NOTE: Calendered films are recommended for flat and soft curved surfaces.

## CARACTERÍSTICAS

- Disponible en 37 colores
- Fácil de manipular 70 micrones (2.8-mil) vinilo calandrado de alto brillo con adhesivo permanente.
- Hasta 6 años de durabilidad exterior
- Disponible en 24" y 48" por 50 yardas

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 5000, click [here](#).



Series 5000

## FEATURES

- Available in 29 colors
- Easy to handle 3-mil (75 micron) satin calendered vinyl with permanent adhesive
- Up to 6-years outdoor durability
- Perforated available in 15" and 30" by 50 yds
- Non-Perforated available in 15", 20", 24", 30" 48" and 60" by 50 yds

NOTE: Calendered films are recommended for flat and soft curved surfaces.

## CARACTERÍSTICAS

- Disponible en 29 colores
- Fácil de manipular 75 micrones (3-mil) vinilo calandrado satinado con adhesivo permanente
- Más de 6 años de durabilidad exterior
- Perforado disponible en 15" y 30" by 50 yds
- Sin Perforación disponible en 15", 20", 24", 30" 48" y 60" por 50 yardas

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 4500, click [here](#).



Series 4500

# PREMIUM CAST ETCHED GLASS FILM



## ▶ DPF 5200

### *Premium Cut and Print Decorative Window Film*


#### FEATURES

- Available in 3 different finishes
- 2-mil (50 micron) cast etched glass film
- Digitally printable on Eco-Solvent, Latex and UV print systems
- Offers privacy by obscuring visibility through the glass day and night
- Ideal for offices, retail, restaurants, residential, hospitals, hotels, banks, tradeshow graphics, etc.
- Available in 48" and 60" widths

#### CARACTERÍSTICAS

- Disponible en 3 diferentes acabados
- Vinilo Fundido de 50 micrones (2-mil) simulando vidrio grabado al aguafuerte
- Compatibilidad de impresión con sistemas Eco Solvente, Látex y UV
- Ofrese privacidad por medio de obstruir visibilidad a través del vidrio dia y noche
- Ideal para oficinas, negocios, restaurantes, residencias, hospitales, hoteles, bancos, exhibiciones, etc.
- Disponible en 48" y 60" de ancho

For more information on DPF 5200, click [here](#).



**314**  
Etched  
Glass



**07**  
Silver  
Etched  
Glass



**334**  
Sparkle  
Etched  
Glass



# TRANSLUCENT AND REFLECTIVE FILM

## ► Series 4100

### Calendered Translucent Film

#### FEATURES

- Available in 14 colors
- 3-mil (75 micron) calendered translucent film for back illuminated displays
- Up to 5-years outdoor durability
- Available in 48" widths


NOTE: Calendered films are recommended for flat and soft curved surfaces.

#### CARACTERÍSTICAS

- Disponible en 14 colores
- 75 micrones (3-mil) vinilo calandrado transluciente para anuncios retro iluminados
- Hasta 5 años de durabilidad exterior
- Disponible en 48" de ancho

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 4100, click [here](#).



## ► Series 2400

### Reflecta-Cal Film

#### FEATURES


- Available in 8 colors maintaining high reflectivity year after year
- Easy to handle 5-mil (130 micron) cast reflective with permanent adhesive
- Up to 7-years outdoor durability on flat surfaces, 5 years on irregular surfaces
- Available in 24" and 48" widths

NOTE: Reflecta-Cal is not warranted for printing.

#### CARACTERÍSTICAS

- 8 colores, mantienen valores de alta reflectividad año tras año
- Pelicula fundida reflejante de 130 micrones (5-mil) con adhesivo permanente
- Durabilidad en exteriores de 7 años sobre superficies planas y de 5 años sobre superficies irregulares
- Disponible en 24" y 48" de ancho

NOTA: Reflecta-Cal no es garantizado para usos serigráficos.



For more information on Series 2400, click [here](#).

# SPECIALTY FILMS




## ► Series 2700 / 2750 Fluorescent Vinyl Film

### FEATURES

- 4 high-intensity colors to project a strong visual impact for signs, graphics and displays
- 4-mil (100 micron) premium cast film
- 1 year outdoor durability
- Available in 24" and 48" widths

### CARACTERÍSTICAS

- 4 colores de alta intensidad para proyectar un fuerte impacto visual en letreros, gráficos y exhibidores.
- Vinilo fundido de 100 micrones (4-mil)
- 1 año de duración en exteriores
- Disponible en 24" y 48" de ancho



For more information on Series 2700 / 2750, click [here](#).



## ► Series 2000 / 2050 High Performance Cast Dazzlers

### FEATURES

- 5 high impact colors to make your image stand out
- 3-mil (75 micron) premium cast vinyl with permanent adhesive
- 5 year outdoor durability
- Available in 24" and 48" widths

### CARACTERÍSTICAS

- 5 colores de alto impacto para lograr que su imagen se destaque
- Vinilo fundido de 75 micrones (3-mil) premium con adhesivo permanente
- 5 años de duración en exteriores
- Disponible en 24" y 48" de ancho



For more information on Series 2000 / 2050, click [here](#).




## ► Series 2850

### Mirror Finish

- Ideal for decorative accents, trim and nameplates
- Silver: 2-year exterior; Gold: interior only
- Screenprintable and thermal imaging receptive
- Available in 15" widths

- Ideal para acentos decorativos, orillas y plaquas
- Plata: 2 años exterior; Oro: interior solamente
- Compatible con serigrafía y termo-imagen
- Disponible en 15" de ancho



For more information on Series 2850, click [here](#).



## ► Series 3950

### Brushed Finish

- Ideal for decorative accents, trim and nameplates
- Silver 2-year exterior; Gold interior only
- Screenprintable and thermal imaging receptive
- Available in 15" widths

- Ideal para acentos decorativos, orillas y plaquas
- Plata: 2 años exterior; Oro: interior solamente
- Compatible con serigrafía y termo-imagen
- Disponible en 15" de ancho




For more information on Series 3950, click [here](#).

## ► Series 5800

### Outdoor Grade

- Metallized film with clear, acrylic adhesive
- Excellent for windows, custom signs, displays and vehicle graphics
- Available in 15" perforated - 24" non-perfed widths

- Pelicula metalizada con adhesivo acrílico transparente
- Excelente para ventanas, letreros, anuncios y gráficos automotriz
- Disponible en 15" perforado y 24" sin perforación de ancho



For more information on Series 5800, click [here](#).

#### FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

- ❖ 5 year exterior durability

#### GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato objeto.

- ❖ Durabilidad exterior de 5 años