

See Through Window Films

Plastiprint Sales Company

See Through Window Graphics are a unique way to create exciting graphics without blocking the view of the consumer or user. The use of storefront windows as a graphic medium provides premium advertisement placement for retailers and marketers. See through window media can also be used as a creative source of privacy for your establishment or vehicle.

The temporary adhesive provides a good yet removable bond to glass surfaces and is suitable for store front window and transit (car & bus window) applications.

50/50 Transit & 60/40 Architectural perforation patterns available

Product Description:

•6mil White/Black Vinyl (Exterior Window Application)

•6mil Clear Vinyl (Interior Window Application) –
**Reverse Print Image & white ink capabilities needed

Removable adhesive

90# Solid Paper Liner

90# perforated paper liner w/ 1mil Clear laminate on back for UV Curable printing

54" & 60" Wide Roll Stock – Sheeting & Slitting available

Printer Compatibility: Screen Printing, Solvent & Eco- Solvent digital, UV Curable digital, Latex Digital, Lithography, Flexography

Applications

•••

Promotional Advertising

P.O.P. Displays

Decals

Decorative Graphics

Transit Graphics

Privacy

Properties

•••

Shelf Life (@ 73°F, 50% RH): 1 year

2 Year UV Durability

Optically clear view /
Filters 68% of UV rays

Service Temp: -20° to 165° F

Plastiprint Sales Company

575 Union Blvd. Suite 103

Lakewood, CO 80228

Phone#: 303-987-0450

www.plastiprint.com



Plastiprint Sales Company
MIX & MATCH PRODUCT LIST

FACE STOCK

3.8 mil Plastiprint ultra
 6 mil Plastiprint rigid/semi rigid
 7, 9 & 11 mil Plastiprint econo
 8 mil Plastiprint rigid/semi rigid
 10 mil Plastiprint rigid/semi rigid
 3.25 & 6 mil White vinyl
 3.25 mil Yellow vinyl
 3.25 mil Frosty clear vinyl
 3.25 mil Clear vinyl
 6.5 mil White static cling
 6 mil Clear static cling
 7 mil Clear static cling
 2 & 5 mil White polyester
 1, 1.5, 2 & 5 mil Clear polyester
 1.5 mil Chrome polyester
 1.5 mil Brushed chrome polyester
 2 mil White computer imprintable polyester
 2 mil Metallized computer imprintable polyester
 2 mil Cracked Ice Holographic PET & OPP
 2 mil White Void polyester
 2 & 7.5 mil White M/C polyester
 2.3 mil White metallized OPP print treated
 2 mil Metallized OPP print treated
 2.3 mil White BOPP print treated
 2 mil Clear OPP print treated
 3 mil White Matte OPP
 0.75 mil Clear BOPP print treated
 2 mil Clear BOPP print treated
 2.5 mil Clear polystyrene
 5.0 mil White polystyrene
 3.0 Bright Aluminum Foil
 60# Bright Silver Foil
 60# Bright Gold Foil

(Master Roll Minimum quantities required for selected items)

ADHESIVE

Permanent
 Supertack
 Hi Peel/Hi Sheer
 Hi Peel white
 Hi Peel Tackified
 Grey blackout
 Tire Adhesive
 Water Resistant
 Cold temp (P/A & R/A)
 Lo Tack removable
 Ultra removable
 Hi Tack removable
 FDA approved (indirect food)
 Marine Adhesive
 Textile Adhesive
 Battery Label
 Weather Resistant

LINERS

1.2 mil polyester
 40# dens. kraft
 44# poly/kraft (PPK)
 50# dens.kraft
 56# laser
 65# CCK
 70# cling
 83# laser
 84# natural kraft cling
 90# cling
 90# layflat (Poly 2 Side)
 96# layflat (Poly 2 Side)
 110# Printable Back
 112# Cling
 120# Cling

TOPCOATS

Matte topcoat: Plastiprint and vinyl

Gloss: Plastiprint

Vinyl topcoat: All vinyl

Polyester topcoat: All polyester

Laser topcoat: Plastiprint, polyester and vinyl

Ink Jet: Plastiprint, white polyester and white vinyl

Proudly introduces you to...

cling-rite®

**safest and
most versatile
promotional
product
available!**

Electrically charged, printed film that clings to most clean surfaces without the use of tape or adhesives!

Cling-rite® clings, on both sides, to virtually any smooth, clean surface. Including: brick, wood, stucco, plastic, metal, marble, glass, chalkboard, cardboard, drywall, vinyl and more.

REPOSITIONAL • REUSABLE • ERASABLE • RECYCLABLE

Try the samples enclosed with this flyer and show them to your colleagues. Our products are unique, cost effective and environmentally friendly. Just peel **Cling-rite®** away from its backer and apply it to any clean surface.

You can further enhance your **Cling-rite®** material by printing on the backer and utilizing it for other customer added value materials (eg. coupons, reader response cards etc.).

Contact us for your next marketing project, and discover how **Cling-rite®** clings to the minds of consumers (and to their walls, as well).

Create a lasting impression!



Applications for our **Cling-rite®** product include but are not limited to:

- **Pinups/Posters** can be saddle-stitched, perfect bound into or inserted onto magazines
- **POP/ROP Displays**
- **Promotional Handouts**
- **Calendars, Maps, Memo Boards, Games etc.** are erasable with either dry or wet erase markers
- **Decals & Seasonal Items** can be die-cut & kiss-cut into desired shapes
- **NEW Cling-rite® Coupons** are delivered on a full contact backer and matrix stripped for easy peeling. Ideal for FSLs, tip-ons, blow-ins, and direct mail inserts

Economy PVC-Free Window Cling Film

PVC-Free window cling film is designed as an easily installable window cling film for advertising graphics, P.O.P. window signage, decal signage, seasonal window graphics, labels and protective film purposes, especially for mobile device screen protection.

The copolymer cling formula makes installation quick and easy without damaging the substrate or surface. The result is a durable film with a soft peel that mimics static cling vinyl with increased outdoor and cold-weather performance. It can be applied, removed, re-applied multiple times. The Clear provides Optical Clarity making it an ideal film for high resolution graphics. No harsh plasticizers!

Sizes: 50" & 54" X 100'

Master rolls and roll lengths more than 100' available upon request

Shelf Life (@ 73°F, 50% RH) - 2 years

Outdoor Durability of film - 2 years

Recyclability: Falls under the same recyclability category as PET #5

Description	Part #	Printability	Finish	Thickness	Liner
Clear UV PET Cling Film	CK-UV-TSP	UV, L, SC	Clear Gloss	3.5mil	1.5mil Clear PET
Clear Sol/Eco Sol PET Cling Film	CK-SOL-TSP	S, ES	Clear Gloss	5mil	1.5mil Clear PET
Clear Frosted Sol/Eco Sol PET Cling Film	CK-SOL-FST	S, ES	Frosted Matte	4.5mil	1.5mil Clear PET
White UV/Latex PET Cling Film	CK-UN-PET	UV, L, SC	White Matte	4mil	1.5mil Clear PET
White Sol/Eco Sol PET Cling Film	CK-SOL-PET	S, ES	White Matte	4.5mil	1.5mil Clear PET

Printability Codes: UV = UV Curable, L = Latex, S = Solvent, ES = Solvent, SC = Screen



Plastiprint Sales Company
575 Union Blvd. Ste. 103, Lakewood, CO 80228
Phone#: 303-987-0450
www.plastiprint.com

NOTE: Published material and information concerning Plastiprint Sales Co. Products are based upon research which the company believes to be reliable, but such material and information does not constitute a warranty. Because of the variety of possible uses for Plastiprint Sales Co. and the continuing development of new uses, the buyer should carefully consider the fitness and performance of the product for each intended use and the buyer assumes all risks.

EarthCling Plant-Based PLA Films

Plastiprint Sales Company

EarthCling is a clear or white plastic film that is made from annually renewable Plants. The film is a biaxially oriented PLA that is fully compostable. EarthCling is designed for short and long term applications on glass or other glossy surfaces but also for use on matte surfaces such as metals, woods, plastics and most smooth wall surfaces.

EarthCling has excellent scratch resistance and slip characteristics, has a naturally high dyne level and can be die cut with ease. Outdoor durability up to 6 months. Durability must be tested to end users specs. **Ideal for signage, decals, event promotion and anywhere you need a graphic to stick out.**

The film is a sustainable and superior alternative to petroleum based plastics and is ideal for maximizing available POP space.

Product Description:

2mil Clear or White PLA face stock

Water-based Permanent Adhesive

40" paper liner

54" wide master roll stock

Minimum Order Quantity: 54" X 5,000 LF

Printer Compatibility: Screen Printing, UV Curable digital, Solvent & Eco-Solvent digital, Latex digital, Lithography, Flexography & thermal transfer

Applications

...

Posters, Signs, Banners

P.O.P. Displays

Tags & labels

Menus

Advertising Inserts

Properties

...

Printable Shelf Life (@ 73°F, 50% RH): 1 Year

Indoor/Outdoor Use

Surface Tension: 38 Dynes

**Application Temperature:
40°F - 120°F**

**Service Temperature: 0°F -
200°F**

Compostable: ASTM D6400

Plastiprint Sales Company

575 Union Blvd. Suite 103

Lakewood, CO 80228

Phone#: 303-987-0450

www.plastiprint.com

PVC-Free Cling Film

Plastiprint Sales Company

PlastiCling PVC-Free Cling Film is designed as an easily installable cling film for advertising graphics, P.O.P. window signage, decals, labels & protective film purposes, especially for mobile device screen protection.

The copolymer cling formula makes installation quick and easy without damaging the surface. The Clear provides **Optical Clarity** making it an ideal film for high resolution retail window graphics and decals.

The polyester & polypropylene construction makes the media more **eco-friendly** than cling PVC vinyl due to its recyclability as well as having no plasticizer. PVC-Free cling film has a **2 year printable shelf life**.

Made in the USA

Product Description:

2mil & 4mil Clear Polyester / Copolymer Cling Coating / 3mil Clear Matte Plastic Liner

2mil White Polypropylene / Copolymer Cling Coating / 90# Paper Liner

54" Wide Master Roll Stock – Sheeting & Roll Slitting available

Indigo Top-coated Clear PVC-Free Cling film now available.

Recyclability: Falls under the same recyclability category as Polypropylene or PET #5

Printer Compatibility: Screen Printing, UV Curable digital, Latex Digital, Lithographic printing, Water-based & UV Flexography

Applications

•••

Protective Film

Electronic Device Protection

P.O.P. Signage

Decals

Labels

Graphic Overlays

Window Graphics

Properties

•••

2 & 4mil Clear – Semi-Rigid

2mil White - Flexible

High Surface Energy: 44 – 46 Dynes (6 months)

Printable Shelf Life (@ 73°F, 50% RH): 2 years

High Heat Service Temps: -40° F - 300° F

Plastiprint Sales Company

575 Union Blvd. Suite 103

Lakewood, CO 80228

Phone#: 303-987-0450

www.plastiprint.com