



www.bciimage.com

866-971-1008

AFTERMARKET PRODUCTS

For Sign Shops and Graphics Professionals

- EDGE® Foils
- Vinyl Films
- EDGE READY™ Materials
- Application Tapes
- EDGE and Plotter Accessories
- Router Bits
- Router Accessories
- Small Format Materials

Gerber® ships the **SAME DAY** on **HOT Orders** placed by 5 pm ET
and there's NO DROP SHIP FEE!



Gerber Aftermarkets Produ

GerberColor™ Foils

| | |
|--|--------|
| Spot Color Foils..... | Page 3 |
| Process Pro™ Foils..... | Page 4 |
| Transparent Foils | Page 4 |
| Medal Foils | Page 5 |
| Spectra Foils | Page 5 |
| Finishing Foils | Page 5 |
| Special Effects Foils | Page 6 |
| ColorSet™ Intermediate Foils..... | Page 6 |
| EDGE FX Caddies and Conversion Kit | Page 6 |

Gerber Films

| | |
|--|---------|
| Gerber 220 - EDGE READY | Page 7 |
| Gerber 220 - 30" Unpunched | Page 9 |
| Gerber 220 Metallic - EDGE READY | Page 9 |
| Gerber 225 - EDGE READY | Page 10 |
| Gerber 225 Metallic - EDGE READY | Page 10 |
| Gerber 230 Translucent - EDGE READY..... | Page 11 |
| Gerber 280 and 280i Plus Reflective - EDGE READY | Page 12 |
| Gerber 210 Dusted and Frosted Crystal..... | Page 12 |
| Gerber 210 Fluorescent Film - EDGE READY | Page 12 |
| Gerber 220 Easy Apply Film - EDGE READY | Page 13 |
| Gerber QUANTUM™ II Marking Films - Intermediate Series - EDGE READY | Page 13 |
| Gerber QUANTUM 2000 Marking Films - Intermediate Series - EDGE READY | Page 13 |

| | |
|---|---------|
| Gerber InstaChange™ - EDGE READY | Page 13 |
| Static Cling Film - EDGE READY | Page 14 |
| Gerber ImageCal™ R - EDGE READY | Page 14 |
| Gerber Luminous Film - EDGE READY | Page 15 |
| Gerber HoloGraphix™ - EDGE READY | Page 15 |
| Gerber ImageCal P - EDGE READY | Page 15 |
| Gerber ImageCast™ - EDGE READY | Page 15 |
| Gerber PermaGrip™ - EDGE READY | Page 16 |
| Label Stock - EDGE READY | Page 16 |
| LexEdge™ - EDGE READY | Page 18 |
| PVC-10 - EDGE READY | Page 19 |

| | |
|--|---------|
| Metallized Polyesters - EDGE READY | Page 19 |
| Gerber Heat Transfer - EDGE READY | Page 19 |
| Heat Transfer Plus/Tape | Page 19 |
| Magnetics - EDGE READY | Page 20 |
| Overlaminates..... | Page 21 |
| <u>CONVEX® Films and Laminates</u> | Page 23 |
| <u>Edge Positive™ - EDGE READY</u> | Page 24 |
| Screenprint Films | Page 24 |
| Masking Material | Page 25 |
| Paper | Page 26 |
| Application Tapes | Page 26 |
| 3M™ Adhesive Tape 467MP & 468MP | Page 26 |

| | |
|--|---------|
| ImagePerfect Digital Material from Gerber Technology | Page 27 |
| <u>Gerber Wide Format Specialty Digital Media</u> | Page 31 |



[Ink Jet Printing Consumables](#)

Gerber Accessories

| | |
|--|---------|
| Gerber Material Handling Systems | Page 32 |
| GERBER EDGE® Accessories | Page 33 |
| Gerber enVision Plotter Accessories | Page 33 |
| Gerber GS and HS Plotter Accessories | Page 33 |
| Gerber GSx Plotter Accessories | Page 34 |
| Gerber Monument Plotter Accessories | Page 34 |
| Gerber Legacy Plotter Accessories..... | Page 35 |

| | |
|--|---------|
| Gerber Routing Bits | Page 37 |
| Router Accessories and Materials | Page 43 |
| 7 ½" Format Materials | Page 45 |

GerberColor™ Spot Color Foils

Custom-formulated, resin-based, semi-gloss spot color foils will provide three- to five-year exterior life performance. Use with GerberColor Spectratone™ to produce additional colors. Warranted as specified when used on Gerber- approved EDGE READY materials.

[Spot Color Foil Product Bulletin](#)

| EDGE 1 & 2 | | Spot Color Foils | | EDGE FX | | | |
|------------|----------|-------------------|---------|----------|----------|----------|----------|
| 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 75 Meter | 91 Meter |
| P49085A | P79100A | Black | GCS-12 | | P77684A | | P77685A |
| P49084A | P79101A | White | GCS-10 | | P77788A | P84891A | |
| P66276A | | Apple Green | GCS-196 | | P77679A | | |
| P53542A | | Aqua | GCS-176 | P77680A | | | |
| P82885A | | Arctic White | GCS-710 | | P81285A | | |
| P76550A | | Atomic Red | GCS-293 | P78957A | P77682A | | |
| P53512A | | Beige | GCS-49 | | P77683A | | |
| P60367A | | Brick Red | GCS-603 | P77687A | | | |
| P49087A | | Brown | GCS-19 | | P77689A | | |
| P53487A | | Burgundy | GCS-58 | | P77690A | | |
| P49093A | | Cobalt Blue | GCS-37 | | P77693A | | P77801A |
| P80134A | | Dark Cardinal Red | GCS-353 | | P84731A | | |
| P66256A | | Dark Gray | GCS-641 | | P77697A | | |
| P66260A | | Dark Green | GCS-56 | | P77696A | | |
| P84874A | | Deep Sea Blue | GCS-515 | | P84875A | | |
| P83442A | | Electric Green | GCS-406 | | P83441A | | |
| P84876A | | Fern Green | GCS-286 | | P84877A | | |
| P83443A | | Fireball Red | GCS-493 | | P83440A | | P80519A |
| P53492A | | Forest Green | GCS-66 | | P77699A | | |
| P49086A | | Gray | GCS-31 | | P77704A | | |
| P49095A | | Green | GCS-186 | | P77702A | | P77703A |
| P53497A | | Intense Blue | GCS-47 | | P77707A | | P77708A |
| P66268A | | Intense Red | GCS-663 | | P77709A | | P77710A |
| P60362A | | Kelly Green | GCS-46 | | P77712A | | |
| P53532A | | Kumquat | GCS-74 | | P77714A | | |
| P53537A | | Lemon Yellow | GCS-155 | | P77715A | | |
| P66252A | | Light Gray | GCS-681 | | P77716A | | |
| P76588A | | Light Navy | GCS-697 | P78958A | P77717A | | |
| P53517A | | Light Purple | GCS-668 | | P77719A | | |
| P69936A | | Lime Green | GCS-616 | P77720A | P77721A | | |
| P60382A | | Navy | GCS-627 | | P77732A | | P80679A |
| P49094A | | Olympic Blue | GCS-57 | | P77733A | | P77734A |
| P49089A | | Orange | GCS-14 | | P77735A | | P80678A |
| P53527A | | Peacock Blue | GCS-77 | | P77736A | | |
| P53522A | | Pink | GCS-643 | P77737A | | | |
| P49092A | | Purple | GCS-38 | | P77748A | | |
| P60377A | | Raspberry | GCS-133 | P77749A | | | |
| GCS687 | | Royal Reflex | GCS-687 | | P77752A | | |
| P49091A | | Ruby Red | GCS-53 | | P77753A | | P77754A |
| P53502A | | Sunflower Yellow | GCS-625 | | P77757A | | |
| P60372A | | Tan | GCS-39 | P77758A | | | |
| P53507A | | Teal | GCS-96 | | P77760A | | |
| P66264A | | Terra Cotta | GCS-24 | P77761A | | | |
| P49090A | | Tomato Red | GCS-13 | | P77763A | | P77764A |
| P78908A | | Traffic Gray | GCS-151 | P78905A | | | |
| P84742A | | University Blue | GCS-267 | | P84741A | | |
| P84754A | | Vegas Gold | GCS-145 | | P84753A | | |
| P69932A | | Violet Purple | GCS-628 | P77786A | P77787A | | |
| P78904A | | Vivid Blue | GCS-017 | P78901A | | | |
| P49088A | | Yellow | GCS-15 | | P77789A | | P77790A |



| EDGE 1 & 2 | | | Spot Metallic Foils | | EDGE FX | | |
|------------|----------|----------|---------------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| | P66284A | | Champagne Gold | GCS-601 | P77691A | | |
| | P66280A | | Copper | GCS-629 | P77694A | | |
| | P60392A | | Gold | GCS-631 | | P77700A | |
| | P60387A | | Silver | GCS-620 | | P77755A | |
| | P66272A | | Imitation Gold | GCS-105 | P77705A | P77706A | |

GerberColor Process Pro – CMYK Foils

Custom-formulated, resin-based, semi-gloss foils for four-color process prints, process color simulations of solid PANTONE® colors, EDGE Match™, and photographic bitmap reproductions. Three-year exterior life performance. Use with GerberColor Spectratone to produce additional colors. Warranted as specified when used on Gerber- approved EDGE READY materials.

[Process Pro CMYK Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Process Color Foils | | EDGE FX | | |
|------------|----------|----------|---------------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| | P76283A | | Process Black | GCP-812 | | P77740A | P77741A |
| | P76282A | | Process Cyan | GCP-807 | | P77742A | P77743A |
| | P76281A | | Process Magenta | GCP-873 | | P77744A | P77745A |
| | P76280A | | Process Yellow | GCP-805 | | P77746A | P77747A |

GerberColor Transparent Foils

Custom-formulated, resin-based, transparent color foils will provide three-year exterior life performance. The unique transparent feature allows the characteristics of the base EDGE READY material to come through. GCT foils should be double-hit for best backlit results. Use with GerberColor Spectratone to produce additional colors. Warranted as specified when used on Gerber approved EDGE READY materials.

[Transparent Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Transparent Foils | | EDGE FX | | |
|------------|----------|----------|-------------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| | P60397A | | Blue | GCT-617 | | P77765A | |
| | P60447A | | Brown | GCT-629 | | P77767A | |
| | P60437A | | Burgundy | GCT-49 | | P77769A | |
| | P60442A | | Gold | GCT-105 | | P77771A | |
| | P60452A | | Green | GCT-116 | | P77773A | |
| | P60402A | | Orange | GCT-614 | | P77775A | |
| | P79105A | | White/SpectraTint | GCX-030 | | P79107A | |
| | P60432A | | Plum Purple | GCT-128 | | P77777A | |
| | P60407A | | Red | GCT-643 | | P77779A | |
| | P60427A | | Sapphire Blue | GCT-37 | | P77781A | |
| | P60422A | | Tomato Red | GCT-13 | | P77783A | |
| | P60417A | | Yellow | GCT-625 | | P77785A | |
| | P79102A | | Gray/SpectraShade | GCX-111 | | P79104A | |

GerberColor Medal Foils

As the "medal" name implies, GCM foils produce images which have an elegant, polished metal finish.

NOTE: Interior use only.

[Medal Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Medal Foil | | EDGE FX | | |
|------------|----------|----------|-----------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 25 Meter | 45 Meter | 91 Meter |
| P83515A | | | Silver Medal II | GCM-721 | P84733A | | |
| EDGE 1 & 2 | | | Medal Foil | | EDGE FX | | |
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| GCM783 | | | Red Medal | GCM-783 | | | |
| P49096A | | | Gold Medal | GCM-731 | P77701A | | |

GerberColor SpectraTint™ and SpectraShade™ Foils

GerberColor Spectra foils are designed for overprinting to modify the appearance of base color foils. Use these foils to produce a wider range of EDGE-printed spot colors, to better match hard-to-hit corporate identity program colors or to create special shading effects on shapes and large text. All effects are achieved with solid fill printing. **SpectraTint** has been designed to lighten the appearance of the base color, while **SpectraShade** will darken it. Both foils have been formulated for outdoor use for up to three years. Spectra foils can triple the range of spot colors that are printable with a shop's current inventory of foils.

[Transparent Spectra- Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Spectra Foils | | EDGE FX | | |
|------------|----------|----------|----------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| | P79105A | | SpectraTint | GCX-030 | | P79107A | |
| | P79102A | | SpectraShade | GCX-111 | | P79104A | |

GerberColor Finishing Foils

Abrasion Guard™ SPF is designed for graphics likely to experience repeated handling or frequent contact. This clear overprint GerberColor foil makes GERBER EDGE-produced graphics considerably more resistant to abrasion, **plus it adds up to 30% longer UV protection to any EDGE output!**

[Finishing Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Finishing Foils | | EDGE FX | | |
|------------|----------|----------|--------------------|--|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color | | 15 Meter | 45 Meter | 91 Meter |
| | | P81988A | Abrasion Guard SPF | | | | P81878A |

GerberColor **Special Effects Foils**

GerberColor Special Effects (GCX) Series Foils are specifically designed to produce dramatic and eye-catching graphics. NOTE: Interior use only, except for Metal Flake which has a 6-month outdoor life, or 2-year outdoor lifewhen laminated with Gerber UVGuard.

[Flood Coat White Foil Product Bulletin](#)

[Jet Black Foil Product Bulletin](#)

[Fluorescent Foil Product Bulletin](#)

[Metal Flake Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Special Effects Foils | | EDGE FX | | |
|------------|----------|----------|-----------------------|---------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code | 15 Meter | 45 Meter | 91 Meter |
| P69940A | | | Fluor. Red Orange | GCX-414 | | P83353A | |
| P84983A | | | Fluor. Green | GCX-416 | | P84984A | |
| P84985A | | | Flour. Yellow | GCX-415 | | P84986A | |
| | P76453A | | Flood Coat White | GCX-010 | | P77698A | |
| | GCX12 | | Jet Black | GCX-12 | | P77711A | |

GerberColor **ColorSet Intermediate Foils**

Gerber ColorSet process and spot foils have been designed to provide a solution for short-term graphic needs. User should determine suitability of all applications before using ColorSet foils. ColorSet Foil Product Bulletin

| EDGE 1 & 2 | | | ColorSet Foils | |
|------------|----------|----------|-----------------|----------|
| 25 Meter | 50 Meter | 75 Meter | Color, Pigment | Code |
| | P67112A | | Process Black | GCSP-12 |
| | P67124A | | Process Cyan | GCSP-607 |
| | P67116A | | Process Magenta | GCSP-273 |
| | P67120A | | Process Yellow | GCSP-605 |
| EDGE 1 & 2 | | | ColorSet Foils | |
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment | Code |
| | P69593A | | Black | GCSS-12 |
| | P67691A | | Cobalt Blue | GCSS-37 |
| | P67699A | | Warm Red | GCSS-253 |

EDGE FX Foil Caddies

| EDGE FX Caddy | |
|---------------|---------|
| Single | 18 Pack |
| P80095D | P80096A |

GC Foil to FX Foil Conversion Kit

| GC to FX Foil Conversion Plug Set |
|-----------------------------------|
| P84334A |

Gerber **220 High Performance** Film manufactured by 3M

Gerber 220 is a high performance 2 mil cast vinyl, optimal for GERBER EDGE-printing, cutting, weeding, and application. Its clear pressure-sensitive adhesive allows production of attractive two-way markings. Excellent durability with five to eight-year exterior life.

[Gerber 220 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 220 High Performance | | 24" Unpunched | | 48" Unpunched | |
|------------------------|---------|-------------|---------|----------------------|---------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P20855C | P20856C | P21918C | P20962C | Black | 220-12 | P83594A | P83595A | P83597A | P83598A |
| P20871C | P20872C | P21916C | P20960C | Matte Black | 220-22 | P83720A | P83721A | P83723A | P83724A |
| P83229A | P83230A | P83237A | P83238A | Matte White | 220-20 | P83233A | P83234A | P83241A | P83242A |
| P83247A | P83248A | P83255A | P83256A | White | 220-10 | P83251A | P83252A | P83259A | P83260A |
| P53024A | P53044A | P53064A | P53084A | Antique White | 220-90 | P83565A | P83566A | P83569A | P83570A |
| P53022A | P53042A | P53062A | P53082A | Oyster | 220-100 | P83785A | P83786A | P83789A | P83790A |
| P20869C | P20870C | P21930C | P20974C | Pearl Gray | 220-11 | P83793A | P83794A | P83797A | P83798A |
| P84517A | P84518A | P84584A | P84585A | Light Gray | 220-121 | | | | |
| P84521A | P84522A | P84588A | P84589A | Stone Gray | 220-81 | | | | |
| P27325A | P27326A | P27363A | P27364A | Medium Gray | 220-31 | P83726A | P83727A | P83729A | P83730A |
| P84525A | P84526A | P84592A | P84593A | Mid Gray | 220-61 | | | | |
| P53036A | P53056A | P53076A | P53096A | Traffic Gray | 220-151 | P83861A | P83862A | P83865A | P83866A |
| P84529A | P84530A | P84596A | P84597A | Dove Gray | 220-91 | | | | |
| P27327A | P27328A | P27365A | P27366A | Dark Gray | 220-41 | P83660A | P83661A | P83663A | P83664A |
| P53035A | P53055A | P53075A | P53095A | Nimbus Gray | 220-101 | | | | |
| P57480A | P57495A | P57510A | P57525A | Duranodic | 220-69 | P83667A | P83668A | P83671A | P83672A |
| P20851C | P20852C | P21925C | P20969C | Deep Mahogany Brown | 220-19 | P83889A | P83890A | P83893A | P83894A |
| P27491A | P27492A | P27493A | P27494A | Russet Brown | 220-29 | P83903A | P83904A | P83907A | P83908A |
| P27331A | P27332A | P27369A | P27370A | Sandstone | 220-89 | | | | |
| P20883C | P20884C | P21926C | P20970C | Tan | 220-39 | | | | |
| P20885C | P20886C | P21914C | P20958C | Beige | 220-49 | P83911A | P83912A | P83915A | P83916A |
| P27333A | P27334A | P27371A | P27372A | Fawn | 220-99 | | | | |
| P84541A | P84542A | P84608A | P84609A | Light Lemon Yellow | 220-65 | | | | |
| P57477A | P57492A | P57507A | P57522A | Primrose Yellow | 220-135 | P83815A | P83816A | P83819A | P83820A |
| P20861C | P20862C | P21921C | P20965C | Bright Yellow | 220-15 | P83614A | P83615A | P83617A | P83618A |
| P27495A | P27496A | P27497A | P27498A | Sunflower | 220-25 | P83842A | P83843A | P83845A | P83846A |
| P57478A | P57493A | P57508A | P57523A | Chrome Yellow | 220-145 | | | | |
| P27337A | P27338A | P27375A | P27376A | Imitation Gold | 220-105 | P83687A | P83688A | P83691A | P83692A |
| P27339A | P27340A | P27377A | P27378A | Apricot | 220-64 | | | | |
| P27499A | P27500A | P27501A | P27502A | Light Orange | 220-54 | | | | |
| P20863C | P20864C | P21923C | P20967C | Bright Orange | 220-14 | P83608A | P83609A | P83611A | P83612A |
| P53026A | P53046A | P53066A | P53086A | Intense Orange | 220-134 | P83701A | P83702A | P83705A | P83706A |
| P84537A | P84538A | P84604A | P84605A | Red Orange | 220-74 | | | | |
| P27341A | P27342A | P27379A | P27380A | Terra Cotta | 220-24 | | | | |
| P27343A | P27344A | P27381A | P27382A | Magenta | 220-103 | | | | |
| P53034A | P53054A | P53074A | P53094A | Process Magenta | 220-273 | | | | |

Gerber 220 High Performance Film – Continued

| 15" Punched EDGE READY | | 30" Punched | | 220 High Performance | | 24" Unpunched | | 48" Unpunched | |
|------------------------|---------|-------------|---------|----------------------|---------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P53027A | P53047A | P53067A | P53087A | Warm Red | 220-253 | P83875A | P83876A | P83879A | P83880A |
| P53025A | P53045A | P53065A | P53085A | Perfect Match Red | 220-263 | P83800A | P83801A | P83803A | P83804A |
| P57468A | P57483A | P57498A | P57513A | Atomic Red | 220-293 | P83580A | P83581A | P83583A | P83584A |
| P20865C | P20866C | P21917C | P20961C | Tomato Red | 220-13 | P83854A | P83855A | P83857A | P83858A |
| P84533A | P84534A | P84600A | P84601A | Imperial Red | 220-93 | | | | |
| P27503A | P27504A | P27505A | P27506A | Geranium | 220-63 | P83680A | P83681A | P83683A | P83684A |
| P20881C | P20882C | P21920C | P20964C | Cardinal Red | 220-53 | P83628A | P83629A | P83631A | P83632A |
| P53038A | P53058A | P53078A | P53098A | Cranberry | 220-283 | | | | |
| P21032C | P21033C | P22304C | P22305C | Burgundy | 220-58 | P83882A | P83883A | P83885A | P83886A |
| P57471A | P57486A | P57501A | P57516A | Dark Burgundy | 220-68 | P83647A | P83648A | P83651A | P83652A |
| P35326A | P35327A | P35348A | P35349A | Dark Violet | 220-98 | | | | |
| P84568A | P84569A | P84636A | P84637A | Plum | 220-78 | | | | |
| P27347A | P27348A | P27385A | P27386A | Royal Purple | 220-38 | P83830A | P83831A | P83833A | P83834A |
| P27349A | P27350A | P27387A | P27388A | Purple | 220-48 | | | | |
| P57479A | P57494A | P57509A | P57524A | Royal Blue | 220-87 | P83823A | P83824A | P83827A | P83828A |
| P21036C | P21037C | P22334C | P22335C | Navy | 220-27 | P83777A | P83778A | P83781A | P83782A |
| P35328A | P35329A | P35350A | P35351A | Light Navy | 220-197 | P83714A | P83715A | P83717A | P83718A |
| P84564A | P84565A | P84632A | P84633A | Boat Blue | 220-127 | | | | |
| P57475A | P57490A | P57505A | P57520A | Dark Blue | 220-397 | P83640A | P83641A | P83643A | P83644A |
| P35330A | P35331A | P35352A | P35353A | Shadow Blue | 220-177 | | | | |
| P35332A | P35333A | P35354A | P35355A | Wedgwood Blue | 220-187 | | | | |
| P20873C | P20874C | P21928C | P20972C | Sapphire Blue | 220-37 | P83836A | P83837A | P83839A | P83840A |
| P20875C | P20876C | P21913C | P20957C | Vivid Blue | 220-17 | P83868A | P83869A | P83871A | P83872A |
| P57482A | P57497A | P57512A | P57527A | Matte Blue | 220-407 | | | | |
| P20857C | P20858C | P21922C | P20966C | Intense Blue | 220-47 | P83694A | P83695A | P83697A | P83698A |
| P57473A | P57488A | P57503A | P57518A | Periwinkle | 220-387 | P83807A | P83808A | P83811A | P83812A |
| P84560A | P84561A | P84628A | P84629A | Persian Blue | 220-117 | | | | |
| P20877C | P20878C | P21929C | P20973C | Olympic Blue | 220-57 | P83896A | P83897A | P83899A | P83900A |
| P84556A | P84557A | P84624A | P84625A | Light Blue | 220-107 | | | | |
| P84552A | P84553A | P84620A | P84621A | Soft Blue | 220-97 | | | | |
| P21034C | P21035C | P22332C | P22333C | Peacock Blue | 220-77 | | | | |
| P27351A | P27352A | P27389A | P27390A | Robin Egg Blue | 220-86 | | | | |
| P53033A | P53053A | P53073A | P53093A | Powder Blue | 220-347 | | | | |
| P35336A | P35337A | P35358A | P35359A | Dark Aqua | 220-307 | | | | |
| P27353A | P27354A | P27391A | P27392A | Teal | 220-96 | P83848A | P83849A | P83851A | P83852A |
| P53032A | P53052A | P53072A | P53092A | Bermuda Blue | 220-357 | P83587A | P83588A | P83591A | P83592A |
| P84544A | P84545A | P84612A | P84613A | Lime Green | 220-136 | | | | |
| P35338A | P35339A | P35360A | P35361A | Apple Green | 220-196 | P83573A | P83574A | P83577A | P83578A |
| P20859C | P20860C | P21924C | P20968C | Kelly Green | 220-46 | P83708A | P83709A | P83711A | P83712A |
| P35340A | P35341A | P35362A | P35363A | Bright Green | 220-186 | P83918A | P83919A | P83921A | P83922A |
| P57469A | P57484A | P57499A | P57514A | Cactus Green | 220-266 | P83621A | P83622A | P83625A | P83626A |
| P20879C | P20880C | P21927C | P20971C | Dark Green | 220-56 | P83654A | P83655A | P83657A | P83658A |
| P84548A | P84549A | P84616A | P84617A | Khaki Green | 220-16 | | | | |
| P27355A | P27356A | P27393A | P27394A | Forest Green | 220-66 | P83674A | P83675A | P83677A | P83678A |
| P53039A | P53059A | P53079A | P53099A | Bottle Green | 220-276 | P83601A | P83602A | P83605A | P83606A |
| P27323A | P27324A | P27361A | P27362A | Clear | 220-114 | P83634A | P83635A | P83637A | P83638A |

[Tapez ici]



www.bciimage.com

866-971-1008

Gerber **220 High Performance** Film – Continued

| 220 High Performance | | 30" Unpunched | |
|-----------------------------|---------|----------------------|---------|
| Color | Code | 10 Yard | 50 Yard |
| Black | 220-12 | | P58445A |
| Matte Black | 220-22 | | P58444A |
| Matte White | 220-20 | | P84898A |
| White | 220-10 | | P84899A |
| Medium Gray | 220-31 | | P58440A |
| Dark Gray | 220-41 | | P58442A |
| Tomato Red | 220-13 | | P58474A |
| Cardinal Red | 220-53 | | P58476A |
| Light Navy | 220-197 | | P58489A |
| Sapphire Blue | 220-37 | | P58493A |
| Vivid Blue | 220-17 | | P58494A |
| Gold Metallic | 220-131 | | P58531A |
| Silver Metallic | 220-120 | | P58532A |

Gerber **220 Metallic High Performance** Film manufactured by 3M

Gerber 220 metallic is a high performance 2 mil cast vinyl with the visual addition of a metallic sparkle, perfect for use on cars, trucks, boats, RVs, and signs or markings. Excellent durability with five-year unprinted exterior life.

[Gerber 220 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 220 Metallic HP | | 24" Unpunched | | 48" Unpunched | |
|-------------------------------|---------|--------------------|---------|-------------------------|---------|----------------------|---------|----------------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P27357A | P27358A | P27395A | P27396A | Gold Metallic | 220-131 | P83748A | P83749A | P83751A | P83752A |
| P27359A | P27360A | P27397A | P27398A | Silver Metallic | 220-120 | P83762A | P83763A | P83765A | P83766A |
| P31828A | P31829A | P31873A | P31874A | Dark Blue Metallic | 220-217 | P83741A | P83742A | P83745A | P83746A |
| P31831A | P31832A | P31876A | P31877A | Bright Blue Metallic | 220-227 | | | | |
| P84572A | P84573A | P84640A | P84641A | Petroleum Blue Metallic | 220-247 | | | | |
| P31801A | P31802A | P31846A | P31847A | Charcoal Metallic | 220-211 | | | | |
| P31837A | P31838A | P31882A | P31883A | Slate Metallic | 220-201 | | | | |
| P84580A | P84581A | P84648A | P84649A | Steampunk Red Metallic | 220-243 | | | | |
| P31819A | P31820A | P31864A | P31865A | Burgundy Metallic | 220-208 | | | | |
| P31804A | P31805A | P31849A | P31850A | Dark Brown Metallic | 220-209 | | | | |
| P31810A | P31811A | P31855A | P31856A | Copper Metallic | 220-229 | P83733A | P83734A | P83737A | P83738A |
| P84576A | P84577A | P84644A | P84645A | Champagne Metallic | 220-249 | | | | |
| P31813A | P31814A | P31858A | P31859A | Light Gold Metallic | 220-231 | | | | |

Gerber **225 High Performance** Film manufactured by 3M

Gerber 225 is a high performance 2 mil cast vinyl film on a transparent synthetic liner which is moisture-resistant and offers superior registration for multicolor plotter applications and Gerber EDGE printed graphics. The clear pressure-sensitive adhesive allows for production of attractive two-way markings. Excellent durability with five- to eight-year exterior life.

[Gerber 225 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 225 High Performance | | 24" Unpunched | | 48" Unpunched | |
|------------------------|---------|-------------|---------|---------------------------|---------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P63845A | P63947A | P64253A | P64355A | Black | 225-12 | P84009A | P84010A | P84013A | P84014A |
| P63844A | P63946A | P64252A | P64354A | Matte Black | 225-22 | P84017A | P84018A | P84021A | P84022A |
| P63833A | P63935A | P64241A | P64343A | Matte White | 225-20 | P84025A | P84026A | P84029A | P84030A |
| P63834A | P63936A | P64242A | P64344A | White | 225-10 | P84033A | P84034A | P84037A | P84038A |
| P63840A | P63942A | | | Medium Gray | 225-31 | | | | |
| P63847A | P63949A | P64255A | P64357A | Deep Mahogany Brown | 225-19 | P84049A | P84050A | P84053A | P84054A |
| P63852A | P63954A | P64260A | P64362A | Beige | 225-49 | | | | |
| P63855A | P63957A | P64263A | P64365A | Bright Yellow | 225-15 | P84065A | P84066A | P84069A | P84070A |
| P63856A | P63958A | P64264A | P64366A | Sunflower | 225-25 | | | | |
| P85117A | P85118A | | | NEW Imitation Gold | 225-105 | | | | |
| P63874A | P63976A | P64282A | P64384A | Tomato Red | 225-13 | | | | |
| P63875A | P63977A | P64283A | P64385A | Geranium | 225-63 | P84089A | P84090A | P84093A | P84094A |
| P63876A | P63978A | P64284A | P64386A | Cardinal Red | 225-53 | P84097A | P84098A | P84101A | P84102A |
| P63878A | P63980A | P64286A | | Burgundy | 225-58 | | | | |
| P63893A | P63995A | P64301A | P64403A | Sapphire Blue | 225-37 | P84113A | P84114A | P84117A | P84118A |
| P63894A | P63996A | | | Vivid Blue | 225-17 | P84121A | P84122A | | |
| P63896A | P63998A | P64304A | P64406A | Intense Blue | 225-47 | P84129A | P84130A | | |
| P63914A | P64016A | P64322A | P64424A | Dark Green | 225-56 | | | | |
| P63916A | P64018A | P64324A | P64426A | Forest Green | 225-66 | | | | |
| P63918A | P64020A | P64326A | P64428A | Clear | 225-114 | P84153A | P84154A | P84157A | P84158A |

Gerber **225 Metallic High Performance** Film manufactured by

3M Gerber 225 metallic is a high performance 2 mil cast vinyl film with the visual addition of a metallic sparkle, on a transparent synthetic liner which is moisture-resistant and offers superior registration for multicolor plotter applications. This film is perfect for use on cars, trucks, boats, RVs, and signs or markings. Excellent durability with five-year exterior life.

[Gerber 225 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 225 Metallic HP | | 24" Unpunched | | 48" Unpunched | |
|------------------------|---------|-------------|---------|-----------------|---------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P63933A | P64035A | P64341A | P64443A | Gold Metallic | 225-131 | P84169A | P84170A | P84173A | P84174A |
| P63934A | P64036A | P64342A | P64444A | Silver Metallic | 225-120 | | | | |



Gerber 230 Translucent High Performance Film manufactured by 3M

| 230 Translucent HP | | 15" Punched EDGE READY | | 30" Punched | |
|--------------------|---------|------------------------|---------|-------------|---------|
| Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| White | 230-20 | P20921C | P20922C | P21948C | P20992C |
| Ivory | 230-005 | P21028C | P21029C | | |
| Light Beige | 230-149 | P37721A | P37707A | P37693A | P37679A |
| Silver | 230-121 | P43249A | P43250A | P43257A | P43258A |
| Silver Gray | 230-51 | P37714A | P37700A | P37686A | P37672A |
| Shadow Gray | 230-71 | P37719A | P37705A | P37691A | P37677A |
| Slate Gray | 230-61 | P37716A | P37702A | P37688A | P37674A |
| Black | 230-22 | P37708A | P37694A | P37680A | P37666A |
| Rust Brown | 230-63 | P20911C | P20912C | P21943C | P20987C |
| Dark Brown | 230-59 | P20919C | P20920C | P21947C | P20991C |
| Duranodic | 230-69 | P20913C | P20914C | P21944C | P20988C |
| Burgundy | 230-49 | P21026C | P21027C | P22297C | P22298C |
| Raspberry | 230-133 | P37710A | P37696A | P37682A | P37668A |
| Mulberry | 230-118 | P51447A | P51461A | P51475A | P51489A |
| Vivid Rose | 230-78 | P37713A | P37699A | P37685A | P37671A |
| Pink Lavender | 230-108 | P51444A | P51458A | P51472A | P51486A |
| Cardinal Red | 230-53 | P30810A | P30811A | P30822A | P30823A |
| Dark Red | 230-73 | P20917C | P20918C | P21946C | P20990C |
| Scarlet Red | 230-83 | P51441A | P51455A | P51469A | P51483A |
| Red | 230-33 | P20909C | P20910C | P21942C | P20986C |
| Light Tomato Red | 230-43 | P30808A | P30809A | P30820A | P30821A |
| Poppy Red | 230-143 | P37711A | P37697A | P37683A | P37669A |
| Orange | 230-44 | P20907C | P20908C | P21941C | P20985C |
| Tangerine | 230-84 | P37717A | P37703A | P37689A | P37675A |
| Kumquat | 230-74 | P37718A | P37704A | P37690A | P37676A |
| Gold Nugget | 230-141 | P51451A | P51465A | P51479A | P51493A |
| Metallic Gold | 230-131 | P37712A | P37698A | P37684A | P37670A |
| Sunflower | 230-25 | P30806A | P30807A | P30818A | P30819A |
| Mango | 230-125 | P51448A | P51462A | P51476A | P51490A |
| Yellow | 230-015 | P20905C | P20906C | P21940C | P20984C |
| Lemon Yellow | 230-115 | P51445A | P51459A | P51473A | P51487A |
| Emerald Green | 230-126 | P51449A | P51463A | P51477A | P51491A |
| Holly Green | 230-76 | P30814A | P30815A | P30826A | P30827A |
| Green | 230-26 | P20903C | P20904C | P21939C | P20983C |
| Bright Jade Green | 230-116 | P51446A | P51460A | P51474A | P51488A |
| Vivid Green | 230-156 | P37715A | P37701A | P37687A | P37673A |
| Kelly Green | 230-146 | P51452A | P51466A | P51480A | P51494A |
| Apple Green | 230-106 | P51443A | P51457A | P51471A | P51485A |
| Teal | 230-246 | P43253A | P43254A | P43261A | P43262A |
| Turquoise | 230-236 | P43251A | P43252A | P43259A | P43260A |
| Dark Blue | 230-36 | P21030C | P21031C | P22301C | P22302C |
| Royal Blue | 230-87 | P20915C | P20916C | P21945C | P20989C |
| Cobalt Blue | 230-157 | P51454A | P51468A | P51482A | P51496A |
| Delft Blue | 230-97 | P51442A | P51456A | P51470A | P51484A |
| Blue | 230-167 | P31344A | P31345A | P31346A | P31347A |
| Intense Blue | 230-127 | P37709A | P37695A | P37681A | P37667A |
| Process Blue | 230-337 | P49908A | P49909A | P49910A | P49911A |
| Deep Sky Blue | 230-147 | P51453A | P51467A | P51481A | P51495A |
| Olympic Blue | 230-57 | P30812A | P30813A | P30824A | P30825A |
| Plum Purple | 230-128 | P51450A | P51464A | P51478A | P51492A |

Gerber 230 is a high performance 3 milcast vinyl designed for use on internally illuminated signs, awnings and window graphics. It features uniform color with a surface finish that eliminates glare. Five-year exterior life except Metallic Gold and Gold Nugget, which have a three-year exterior life.

[Gerber 230 Product Bulletin](#)



www.bciimage.com

866-971-1008

Gerber **280 and 280i Plus Reflective** Sheeting manufactured by 3M

| 280 Reflective | | 15" Punched EDGE READY | | 30" Punched | |
|-----------------|--------|------------------------|---------|-------------|---------|
| Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Gold | 280-64 | P21020C | P21021C | P21962C | P21008C |
| Black | 280-85 | P20899C | P20900C | P21933C | P20977C |
| Ruby Red | 280-82 | P37319A | P37320A | P37321A | P37322A |
| Red | 280-72 | P28494A | P28495A | P28498A | P28499A |
| Orange | 280-14 | P20895C | P20896C | P21936C | P20980C |
| Lemon Yellow | 280-81 | P20893C | P20894C | P21934C | P20978C |
| Yellow | 280-71 | P28496A | P28497A | P28500A | P28501A |
| Green | 280-77 | P20891C | P20892C | P21937C | P20981C |
| Light Blue | 280-76 | P39822A | P39823A | P39820A | P39821A |
| Blue | 280-75 | P20889C | P20890C | P21932C | P20976C |
| White | 280-10 | Use 280i Plus | | P21931C | P20975C |
| White 280i Plus | 280-10 | P84894A | P84895A | | |

White 280i Plus is recommended for GERBER EDGE printing

Gerber 280 is a 7.5 mil reflective sheeting designed for markings requiring high visibility, both day and night. The material has good flexibility and provides excellent conformance to flat or moderately curved substrates. Seven-year exterior life on all colors; five-year exterior life on black.

Series 280i Plus is a 7.5 mil white reflective sheeting designed to provide optimal print results on the Gerber EDGE. It is also removable with heat. Seven-year unprinted exterior life.

[Gerber 280 Product Bulletin](#)

[Gerber 280i Plus Product Bulletin](#)

Gerber **210 Dusted and Frosted Crystal** Film manufactured by 3M

Dusted Crystal 3 mil film provides the appearance of etched glass. Frosted Crystal 3 mil film provides the appearance of sandblasted glass. These films are perfect for all window, glass, mirror, and clear plastic applications. Three-year exterior life.

[Gerber 210 Crystal Product Bulletin](#)

| 15" Punched | | 30" Punched | | 210 Crystal | | 24" Unpunched | | 48" Unpunched | |
|-------------|---------|-------------|---------|-----------------|---------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P32442A | P32443A | P32444A | P32445A | Dusted Crystal | 210-314 | P84342A | P84343A | P84350A | P84351A |
| P35717A | P35718A | P35715A | P35716A | Frosted Crystal | 210-324 | P84346A | P84347A | P84354A | P84355A |

Gerber **210 Fluorescent** Film manufactured by 3M

| 210 Fluorescent | | 15" Punched EDGE READY | |
|-----------------|---------|------------------------|--|
| Color | Code | 10 Yard | |
| Yellow-Orange | 210-404 | P48303A | |
| Lemon-Yellow | 210-405 | P48304A | |
| Lime Green | 210-406 | P48305A | |
| Pink | 210-413 | P48307A | |
| Red-Orange | 210-414 | P48534A | |

Gerber 210 Fluorescent is a vibrant, attention-getting 2 mil film that provides excellent visibility under normal or low light conditions. It is perfect for point of purchase, window graphics, and displays. One-year exterior life.

[Gerber 210 Fluorescent Product Bulletin](#)



Gerber **220 Easy Apply** Film manufactured by 3M

| 220 Easy Apply | | 15" Punched EDGE READY | |
|-----------------------|--------|-------------------------------|---------|
| Color | Code | 10 Yard | 50 Yard |
| White | 180-10 | P84750A | P84751A |

Gerber 220 Easy Apply is a high performance, 2 mil, gloss vinyl optimal for GERBER EDGE-printing, which features pressure-activated adhesive to simplify application of graphics on flat, corrugated and riveted surfaces. Its pigmented adhesive provides maximum color opacity and an on-visible air egress feature. Six- to seven-year exterior life.

[Gerber 220 Easy Apply Product Bulletin](#)

Gerber **QUANTUM II Intermediate** Film

| Quantum II | 15" Punched EDGE READY | | 30" Punched | |
|-------------------|-------------------------------|---------|--------------------|---------|
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| White | | P84839A | | P84842A |
| Black | | P84845A | | P84848A |
| Matte White | | P84907A | | P84910A |
| Yellow | | P84851A | | |
| Red | | P84857A | | P84860A |

Quantum II is an intermediate performance, polymeric film with a solvent-based, acrylic adhesive perfect for interior and exterior graphics requiring up to 5-year durability.

Quantum II's improved formulation offers better printability on the GerberEDGE and a higher gloss level than Quantum 2000.

[Quantum II Product Bulletin](#)

Gerber **QUANTUM 2000 Intermediate** Film

| Quantum 2000 | 15" Punched EDGE READY | | 30" Punched | |
|---------------------|-------------------------------|---------|--------------------|---------|
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Yellow | | | | P69146A |

Quantum 2000 is an intermediate performance, polymeric film with a solvent-based, acrylic adhesive perfect for interior and exterior graphics requiring up to 5-year durability.

Gerber **InstaChange Removable** Film

| InstaChange | 15" Punched EDGE READY | |
|--------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P63030A | P63031A |

Gerber InstaChange is a white 4.6 mil vinyl film with a gray pigmented adhesive system that is removable for up to two years with no adhesive residue. The pigmented adhesive also allows for maximum opacity of graphics.

[InstaChange Product Bulletin](#)



Gerber **Static Cling** film

| Static Cling | 15" Punched EDGE READY | |
|---------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P50823A | P50824A |
| White | P53201A | P53202A |

Gerber Static Cling films are designed to adhere to glass without adhesive. These 7 mil specialty vinyls can be printed with the Gerber EDGE or decorated with vinyl graphics. Intended for interior application.

[Static Cling Product Bulletin](#)

Gerber **ImageCal "R" Removable** Film

| ImageCal R | 15" Punched EDGE READY | |
|-------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P72778A | P72779A |
| Clear | P65587A | P65588A |

Gerber ImageCal "R" is a removable vinyl designed for use with Gerber EDGE Systems and GerberColor Foils. Gerber ImageCal "R" is available in two formats that have slightly different characteristics.

Gerber ImageCal "R" Clear is a 3.5 mil, durable, removable, calendared vinyl. For up to six months after application, the film's unique adhesive allows the graphic to be removed from most surfaces with little or no residue left behind and without the aid of chemicals or accessories.

Gerber ImageCal "R" White is a 4 mil removable vinyl which can be reused up to 5 times within one year without leaving residue or losing the strength of its adhesive bond.

[ImageCal R Product Bulletin](#)



Gerber **Luminous** Film manufactured by 3M

| Luminous | 15" Punched EDGE READY | |
|---------------------------|-------------------------------|---------|
| Color | 10 Yard | 25 Yard |
| Light Yellow-Green, Matte | P68495A | P68496A |

This 9 mil, durable, "glow-in-the-dark" vinyl is for applications that require maximum visibility for both day and night viewing, suitable for interior safety signage, and identification signs and markings. Gerber Luminous film will "glow" for up to 6 hours and takes only 3 minutes to recharge. Luminous material meets International Maritime Organization, National Fire Protection Association, and Federal Railroad Administration requirements.

[Gerber Luminous Product Bulletin](#)

Gerber **HoloGraphix** Film

| HoloGraphix | 15" Punched EDGE READY | |
|--------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Water Drop | P83222A | P83223A |
| New Rainbow | P85124A | P85125A |

Holographic 3.6 mil film available in two patterns, SilverSheen and Water Drop. Recommended for interior applications.

[HoloGraphics Product Bulletin](#)

Gerber **ImageCal "P" Permanent** Film

| Image Cal "P" | 15" Punched EDGE READY | |
|----------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P65583A | P65584A |

A clear, calendared 4 mil vinyl film with a permanent adhesive system. Two-year exterior life.

[ImageCal P Product Bulletin](#)

Gerber **ImageCast** Film manufactured by 3M

| ImageCast | 15" Punched EDGE READY | |
|------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P65579A | P65580A |

Cast 2.5 mil vinyl film with a clear adhesive system suitable for all types of graphic displays. This material is similar to Clear Enamel Receptive without the enamel receptive coating. Five-year exterior life.

[ImageCast Product Bulletin](#)



Gerber **PermaGrip** Film

| PermaGrip | 15" Punched EDGE READY | |
|------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | AP75517 | AP75517 |

Gerber PermaGrip is a durable, permanent cast vinyl film for use with Gerber EDGE Systems and Gerber Color foils. It is dimensionally stable and has an extremely aggressive pigmented adhesive system that provides superior hiding power when applied over colored surfaces. Gerber PermaGrip is edge-stripped to eliminate buildup of adhesive

residue on sprocketed equipment. Gerber PermaGrip is ideally suited for a wide variety of commercial, industrial and safety applications. It can be used to create interior and exterior labels, emblems, logos and signs on many surfaces including, flat, moderately compound curved and moderately-rough surfaces and some low surface energy materials. The user should determine the suitability of all substrates prior to actual application. This film is not recommended for use on corrugated, riveted or highly irregular surfaces. It is not recommended for flexible sign face or flexible banner material. It is also not intended for applications where petrochemical contact may occur. If petrochemical exposure is anticipated, refer to the Product Bulletin for information on protecting graphics.

[PermaGrip Product Bulletin](#)

Gerber **Label Stock – 1mil**

| 1 mil Label Stock | 15" Punched EDGE READY | |
|--------------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P59875A | P59876A |
| White | P59881A | P59882A |

Polyester, 1 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates.

[Label Stock Product Bulletin](#)

Gerber **Label Stock – 2mil**

| 2 mil Label Stock | 15" Punched EDGE READY | |
|--------------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P59878A | P59879A |
| White | P59884A | P59885A |
| Matte Silver | P60557A | P60558A |
| Shiny Silver | P84501A | P84502A |

Polyester, 2 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates.

[Label Stock Product Bulletin](#)



Gerber PermaGrip Label Stock – 2 mil

| PermaGrip | 15" Punched EDGE READY | |
|-----------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P83928A | P83929A |

This 2 mil white polyester label stock has an aggressive adhesive that sticks to low surface energy (LSE) substrates such as powder coat paint. This material is UL recognized at temperatures up to 302 degrees F. [PermaGrip Label Stock Product Bulletin](#)

Gerber Security Label Stock

| 2 mil Label Stock | 15" Punched EDGE READY | |
|-------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Chrome Silver | P63033A | P63034A |
| White | P82891A | P82892A |

This 2-mil product was developed for use with the Gerber EDGE for production of identification markings with tamper-evident protection. Once printed and applied, the word VOID appears, on both the applied surface and the material, if the label is removed. [Security Label Stock Product Bulletin](#)

Gerber Non-Transfer Void Security Label Stock

| Non-Transfer Void | 15" Punched EDGE READY | |
|-------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte Blue | P84904A | P84905A |

Gerber Non-Transfer Void Security Label Stock is a tamper-evident material designed to produce non-reusable label seals which contain a message of "VOID OPEN" in the face material when removed. Gerber Non-Transfer Void Security Film adhesive leaves no residue when removed within 90 days on many application surfaces, eliminating the time and effort to clean the adhesive left by other types of security labels. The compact "VOID OPEN" message permits manufacture of labels as small as 10mm x 30mm. One-year exterior life. [Non-Transfer Void Security Label Stock Product Bulletin](#)

Gerber Brushed Polyester Label Stock - 1 and 2 mil

| Brushed Polyester | 15" Punched EDGE READY | |
|---------------------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| 1 mil Brushed Gold | P61297A | P61296A |
| 1 mil Brushed Silver | P61300A | P61299A |
| 2 mil Brushed Gold | P61288A | P61289A |
| 2 mil Brushed Silver / Aluminum | P61285A | P61286A |

Polyester, 1 or 2 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates, including architectural graphics. Brushed Gold is not recommended for exterior applications. [Label Stock Product Bulletin](#)

Gerber LexEdge II - 5 mil

| 5 mil LexEdge II | 15" Punched EDGE READY | |
|------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Velvet/Polished | P75654A | P75655A |

LexEdge II 5 mil is a custom-formulated, Lexan® based polycarbonate (Lexan 8A35) designed for use with Gerber Digital Color Printing Systems and GerberColor foils. LexEdge II 5-mil is dimensionally stable and resists tearing, abrasion, and heat. LexEdge II 5-mil is ideally suited for the production of dynamic sub-surface graphics including membrane switches, keyboard overlays, architectural signs, and exhibit/display work. [LexEdge II 5-mil Product Bulletin](#)

Gerber LexEdge II - 10 mil

| 10 mil LexEdge II | 15" Punched EDGE READY | |
|-------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P63562A | P63563A |

Semi-rigid, 10 mil Lexan with a custom-formulated print surface specifically designed for use with the Gerber EDGE. Ideally suited for the production of exhibits, displays, signs, and all types of sub-surface graphics. [LexEdge II 10-mil Product Bulletin](#)

Gerber LexEdge FR65

| LexEdge FR65 | 15" Punched EDGE READY | |
|--------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P82888A | P82889A |

Semi-rigid, 10 mil flame retardant Lexan material which meets the UL94 V-0 rating, for use in the production of sub-surface graphics for industries that require fire retardant material for aircraft, electrical and electronic applications. [LexEdge FR65 Product Bulletin](#)

Gerber LexEdge Clear

| LexEdge Clear | 15" Punched EDGE READY | |
|---------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P67002A | P67003A |

LexEdge Clear is a clear, polished 10 mil Lexan material, designed for use with the Gerber EDGE. A polished version of our current LexEdge II product, LexEdge Clear provides a perfect tool for creating architectural signage, point-of-purchase displays, exhibit graphics, and membrane switch applications. In order to protect its polished surface, LexEdge Clear has a removable, protective mask on the print side of the material for optimal output. [LexEdge Clear Product Bulletin](#)



Gerber LexEdge outdoor

| LexEdge Outdoor | 15" Punched EDGE READY | |
|-----------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P72790A | P72791A |

Outdoor durable, this semi-rigid, matte, 10-mil Lexan has a custom-formulated print surface specifically designed to resist tearing, abrasion and yellowing effects of UV exposure. Formulated for use with the Gerber EDGE for printing directly onto the final substrate in second surface applications. Ideally suited for the production of ATM/bank, equipment labels, gas station graphics, menu boards and other outdoor graphic displays. Vertical exterior performance life of 3 to 5 years.

[LexEdge Outdoor Product Bulletin](#)

Gerber PVC-10 Shelf and Tag

| PVC 10 | 15" Punched EDGE READY | |
|--------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P81132A | P81133A |

PVC-10 Shelf and Tag is a white, 10 mil, semi-rigid PVC material. It has been custom formulated for use with GerberEDGE Systems that use EDGE READY Materials and GerberColor Foils. PVC-10 Shelf and Tag can also be decorated with cut-vinyl graphics.

The semi-rigid construction of PVC-10 Shelf and Tag makes it ideally suited for a number of non-pressure-sensitive applications including signs, menu boards, point-of-purchase displays, permits, identification tags, and door hangers.

[PVC-10 Shelf and Tag Product Bulletin](#)

Gerber Metallized Polyester Film

| Metallized Polyester | 15" Punched EDGE READY | |
|---------------------------|------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Brushed Silver / Aluminum | P61285A | P61286A |
| Shiny Silver | P84501A | P84502A |

Polyester, 2 mil film with a mirror look on both sides of the material for two sided interior and limited exterior use.

Suitable for printing on the Gerber EDGE.

[Metallized Polyester Product Bulletin](#)

Gerber Heat Transfer Textile Graphics Film

| Heat Transfer | 15" Punched EDGE READY | | |
|---------------|------------------------|----------|----------|
| Color | 5 Meter | 10 Meter | 25 Meter |
| White | P84942A | P84943A | P84944A |

Textile graphics film for printing on the Gerber EDGE. Offers excellent printability and washability on a variety of fabrics, including cotton, polyester and less standard polyamide substrates such as Nylon.

[Heat Transfer Product Bulletin](#)



Gerber Heat Transfer Plus

| NEW! Heat Transfer Plus | 15" Punched EDGE READY | |
|-------------------------|------------------------|---------|
| Color | 10 Yard | 25 Yard |
| White | P84930A | P84931A |

Heat Transfer Plus is a thermally-printable, white, polyester backed, opaque flex material designed for printing on the GERBER EDGE®, GERBER EDGE 2, and GERBER EDGE FX™ printers using standard GerberColor™ Spot, Process Pro™ and Medal foils. This product can be contour cut into small shapes and offers excellent image quality and washability on a wide variety of fabrics including blended textiles.

[Heat Transfer Plus Product Bulletin](#)

Gerber Heat Transfer Tape

| Heat Transfer Tape | 12" Unpunched |
|--------------------|---------------|
| Color | 20 Yard |
| Clear | P84936A |

A Hi-Tack polyester transfer tape designed to protect printed heat transfer material from the high temperatures of heat pressing. Transfers print and cut graphics from the carrier film and aids alignment of the graphic to the garment. Easy to apply and remove without adhesive residue on a variety of polyurethane and vinyl films.

Gerber GerberMag™ II

| GerberMag II | 15" Punched EDGE READY |
|--------------|------------------------|
| Color | 25 Feet |
| White | P81506A |

Flexible, 19 mil, magnetic material, with a smooth matte white surface, designed for optimal printing on the Gerber EDGE. Output contour cut on any Gerber OMEGA™ compatible 15" plotter. Used in the production of custom ad specialty magnets.

[GerberMag II Product Bulletin](#)

Gerber AutoMag™ II

| AutoMag II | 15" Punched EDGE READY |
|------------|------------------------|
| Color | 25 Feet |
| White | P81508A |

Vehicle-strength 24 mil magnetic material used in the production of custom, removable vehicle graphics. Flexible magnetic material, **with a new, smoother matte white surface**, designed for optimal printing on the Gerber EDGE. Output contour cut on any OMEGA compatible 15" plotter.

[AutoMag II Product Bulletin](#)



Gerber **Gerber Guard™** – Overlaminates manufactured by 3M

| Gerber Guard | 15" Punched | |
|---------------------|--------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P61385A | P61386A |

Not intended for printing. Gerber Guard is designed to provide additional protection from petroleum-based or other chemicals, as well as increased abrasion resistance due to exposure to severe handling conditions. Gerber Guard's glossy characteristic creates a more lustrous finish when applied to Gerber EDGE-produced graphics. May also be used on unprinted vinyl film with the same quality results.

[Gerber Guard Product Bulletin](#)

Gerber **StrikeGuard™** – Overlaminates

| Gerber StrikeGuard | 13" Unpunched | |
|---------------------------|----------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P76480A | P75963A |

Gerber StrikeGuard is an extra-thick (8 mil), flexible clear overlaminates designed to provide EDGE®-printed graphics with extreme protection from forceful impact. It has been developed as part of a great new system for producing helmet decals and for decorating "extreme sports" equipment, including recreational vehicles

[Gerber StrikeGuard Product Bulletin](#)

Gerber **UVGuard™** – Overlaminates

| Gerber UVGuard | 15" Punched | |
|-----------------------|--------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P84883A | P84884A |

Not intended for printing. Gerber UVGuard is a 1.2 mil, clear, laminating film designed to further expand the resistance to weathering of graphics printed (or cut) on Gerber Series 220, 225, 280i Plus with Gerber EDGE Systems and GerberColorFoil. Will also provide resistance to the effects of mildew and graffiti. The expected performance life of the graphic will be improved to seven years. (The performance life of GC Spot Pink (GCS-643) will not be affected by Gerber UVGuard.)

[Gerber UVGuard Product Bulletin](#)



Gerber **UVGuard 9** – Overlaminates manufactured by 3M

| Gerber UVGuard 9 | 15" Punched | |
|-------------------------|--------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P84370A | P84371A |

Not intended for printing. Gerber UVGuard 9 is a glossy 2 mil, clear, PVC laminating film with a graphic protection system top coat designed to further expand the resistance to weathering of graphics printed (or cut) on Gerber Series 220, 225, 280i Plus films with Gerber EDGE Systems and GerberColor Foils. Gerber UVGuard 9 has the highest protection from UV fade. The expected performance life will be improved to nine years.

[Gerber UVGuard 9 Product Bulletin](#)

Gerber **Special Effects** Overlaminates manufactured by 3M

| Carbon Fiber | 13" Unpunched |
|---------------------|----------------------|
| Color | 25 Yard |
| Carbon Fiber | P84952A |
| Starry Night | P84956A |

Not intended for printing. Carbon Fiber Overlaminates provides a carbon fiber appearance to the underlying film/graphic. Starry Night adds an intense silver sparkle. Both are fully compatible with Gerber EDGE printed graphics.

[Special Effects Overlaminates Product Bulletin](#)

NEW Gerber **CONVEX® GearWrap™** Film

| NEW!! CONVEX® GearWrap™ | 15" Punched EDGE READY | |
|--------------------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| 4mil Clear | P85007A | P85096A |
| 4mil White | P85009A | P85097A |
| 8mil Clear | P85011A | P85098A |
| 8mil White | | P85099A |
| 8 mil White | P85013A | |

Gerber CONVEX® GearWrap™ film is perfect for contact sports decals. It stays in place and removes clean for up to 1 year. Designed for printing on the GERBER EDGE®, GERBER EDGE 2, and GERBER EDGE FX™ printers. It is available in either white or clear and 4mil or 8mil thickness.

[Product Bulletin GearWrap 4mil](#)

[Product Bulletin GearWrap 8mil](#)



NEW Gerber CONVEX® High Bond Film

| CONVEX High Bond | 15" Punched EDGE READY | |
|------------------|------------------------|---------|
| | 10 Yard | 50 Yard |
| Color | | |
| 6mil Clear | P85015A | P85100A |
| 6mil White | P85017A | P85101A |

Gerber CONVEX® High Bond film is for complex curves on low-energy surfaces like plastic and powder-coated paint, making it the "go to" choice for Motor-sport graphics. It's available in 6mil white and clear. Designed for printing on the GERBER EDGE®, GERBER EDGE 2, and GERBER EDGE FX™ printers. It is available in 6mil white and clear. [Product Bulletin Convex High Bond](#)

NEW Gerber CONVEX® Chrome Film

| CONVEX Chrome (High Bond Adhesive) | 15" Punched EDGE READY | | |
|---------------------------------------|------------------------|---------|---------|
| | 10 Yard | 25 Yard | 50 Yard |
| Color | | | |
| Chrome | P85019A | P85105A | P85102A |

Gerber CONVEX® Chrome offers a brilliant mirror-like finish for both indoor and outdoor applications. Unlike other brands, it won't oxidize and remains durable for 5-7 years. It is designed for printing on the GERBER EDGE®, GERBER EDGE 2, and GERBER EDGE FX™ printers. [Product Bulletin Convex chrome](#)

NEW Gerber CONVEX® Laminate

| CONVEX® Laminate | 13" Unpunched | |
|------------------|---------------|---------|
| | 10 Yard | 50 Yard |
| 4 mil | P85021A | P85103A |
| 8mil | P85023A | P85104A |

Gerber CONVEX® Laminate provides extra durability to graphics conforming to complex plastic shapes like helmets and lacrosse gear. It is available in either 4mil or 8mil thickness. [Product Bulletin Convex Laminate 4 mil](#)
[Product Bulletin Convex Laminate 8 mil](#)

NEW Gerber CONVEX® Pro-Shield

| CONVEX® Pro-Shield Laminate | 13" Unpunched | |
|--------------------------------|---------------|---------|
| | 10 Yard | 50 Yard |
| 12 mil | P85107A | P85106A |

Gerber CONVEX® Pro-shield Laminate acts as a steadfast protector, providing 12 mils of durable vinyl as a shield against contact, making it ideal for applications like Motor- sport decals [Product Bulletin Convex Pro-Shield](#)

Gerber **Edge Positive – Screen Print** Film

| Edge Positive | 15" Punched EDGE READY | |
|----------------------|-------------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P54964A | P54965A |

Crystal clear, 7 mil, top-coated polyester film, custom-formulated for Gerber EDGE use in the production of screenprinting film positives. Designed for use with Spot Black Foil (GCS-12). For denser black use Jet Black (GCX12).

[Edge Positive Product Bulletin](#)

Gerber **Screen Printing and Graphic Arts** Films

Materials designed for the screen printing professional. These films have been carefully selected and developed for use on Gerber systems.

| Rubylith | 15" Punched | | 30" Punched | |
|---|--------------------|---------|--------------------|---------|
| Light safe film on polyester backing – special adhesive allows for re-positioning | 25 Feet | 50 Yard | 25 Feet | 50 Yard |
| Ulano Rubylith Universal Mask | P20946C | P20947C | P21958C | P21002C |

| StaSharp | 15" Punched | |
|---|--------------------|---------|
| Solvent soluble – for use with water-based inks | 25 Feet | 50 Yard |
| Ulano S3S-StaSharp Stencil | P20952C | P20953C |



Gerber GerberMask™ ULTRA – Masking Material

GerberMask ULTRA is a 4 mil white vinyl film, coated with a **low-tack** removable adhesive now on a **new moisture-resistant liner**. Designed to be used as stencil masking film for application to a variety of smooth, flat substrates. The low-tack adhesive allows easy removal from substrates, with no adhesive transfer. Suitable for use on glass, Plexiglas, polycarbonate, flexible vinyl, stainless steel. **NOTE:** GerberMask ULTRA has a low-tack adhesive for easy removal from high energy surfaces. Rough, uneven, or curved surfaces may require a more aggressive adhesive.

GerberMask ULTRA II stencil mask with high-tack adhesive is available if greater substrate adhesion is required.

[GerberMask ULTRA Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA | | 20" Unpunched | | 45" Unpunched | |
|-------------|---------|-------------|---------|-------------------------------------|--|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| | P81773A | | P81780A | GerberMask ULTRA (Green logo liner) | | | P81776A | | P81336A |

Gerber GerberMask Yellow ULTRA – Masking Material

GerberMask Yellow ULTRA is a 4 mil yellow vinyl film, coated with a **low-tack** removable adhesive on a paper liner developed as a high contrast stencil for painted graphics for application to a variety of smooth, flat surfaces. The yellow face film makes weeding and application easier especially when the stencil is applied to a white surface.

[GerberMask Yellow ULTRA Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA Yellow | | 24" Unpunched | | 48" Unpunched | |
|-------------|---------|-------------|---------|-------------------------|--|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| | P83157A | | P83158A | GerberMask ULTRA Yellow | | | | | P83159A |

Gerber GerberMask ULTRA II – Masking Material

GerberMask ULTRA II is a durable, conformable 4 mil white vinyl film, coated with **aggressive** acrylic removable adhesive now on a **new moisture-resistant liner**. Designed to hold during light sandblasting, acid etching, or paint applications. Removable, with no adhesive transfer. Suitable for use on glass, Plexiglas, stainless steel, unfinished and finished wood surfaces. **DO NOT APPLY GerberMask ULTRA II TO FLEXIBLE VINYL FILM.**

NOTE: GerberMask ULTRA II has a high-tack adhesive that will adhere strongly to smooth, high-energy substrates, such as Plexiglas or polycarbonate. Requires some effort to remove. GerberMask ULTRA, with low-tack adhesive, may be more suitable for this type of application. GerberMask ULTRA can be used on flexible vinyl substrates.

[GerberMask ULTRA II Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA II | | 48" Unpunched | |
|-------------|---------|-------------|---------|--|--|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | | 10 Yard | 50 Yard |
| | P82758A | | P82761A | GerberMask ULTRA II (Black logo liner) | | | P85119A |



Gerber **Drawing and Pouncing Paper**

| 15" Punched | | Drawing Paper | 30" Punched | |
|--------------------|-----------------|----------------------|--------------------|-----------------|
| 10 Yard | 500 Feet | Color | 10 Yard | 300 Feet |
| | P20944C | Plain White 20# | | P21965C |

Paper for producing scaled or full-size drawings and pounce patterns.

Gerber **Standard Application Tape**

NOTE: GSP recommends and warrants the use of Standard Tack Application Tape in applying graphics produced by the Gerber EDGE.

| Width | Length | Part Number |
|--------------|---------------|--------------------|
| 3/4" wide | 100 yards | P79369A |
| 6/8" wide | 100 yards | P79370A |
| 12" wide | 100 yards | P79371A |
| 14" wide | 100 yards | P79372A |
| 30" wide | 100 yards | P79374A |

Gerber **Heat Transfer Tape**

A Hi-Tack polyester transfer tape designed to protect printed heat transfer material from the high temperatures of heat pressing. Transfers print and cut graphics from the carrier film and aids alignment of the graphic to the garment. Easy to apply and remove without adhesive residue on a variety of polyurethane and vinyl films.

| Width | Length | Part Number |
|--------------|---------------|--------------------|
| 12" | 20 yards | P84936A |

3M™ **Adhesive Transfer Tape 467MP & 468MP**

These adhesives complement our LexEdge and Static Cling applications. The laminating adhesives provide the finishstep in the production of decals.

[Laminating Adhesive Product Bulletin](#)

| | Width | Length | Part Number |
|------------------------------|--------------|---------------|--------------------|
| Adhesive Transfer Tape 467MP | 12" wide | 60 yards | P83178A |
| Adhesive Transfer Tape 468MP | 12" wide | 60 yards | P83177A |



ImagePerfect™ Digital Materials from Gerber Technology

ImagePerfect Digital Materials from Gerber Technology are specifically designed for digital printing on large-format inkjets and are suitable for printing with eco-solvent, solvent, latex and UV-cured inks, except where noted. These media offer first-class printability with remarkable text definition and a large color gamut to ensure colorful images and area fills.

ImagePerfect 2125 Banner, Frontlit

| | | |
|----------------|----------------------|-----------|
| IP 2125 | 54" Unpunched | |
| Color | 36 Meter | 39.4 Yard |
| Satin White | P84926A | P84926A |

15 oz/y² (520g/m²) 18.5mil Premium coated banner with excellent printability and thermal welding characteristics, for indoor and outdoor applications such as billboards at trade shows and events, construction sites, show rooms, promotional campaigns and many other applications. Also used as a display product fixed in a banner track system.

[ImagePerfect 2125 Product Bulletin](#)

ImagePerfect 2214 Medium Weight Mesh

| | | |
|----------------|----------------------|-----------|
| IP 2214 | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Matte White | P84919A | P84919A |

9 oz/y² (300g/m²) 16mil Strong, medium-weight mesh for indoor and outdoor applications such as advertising at tradeshow and events, show rooms, construction sites and promotional campaigns where a see through effect is required. The flexible fire-retardant fabric features a stable printing liner, very regular structure and excellent flat hanging properties. Thermal welding allows for a strong seam. Not suitable for printing with UV-cure inks.

[ImagePerfect 2214 Product Bulletin](#)

ImagePerfect 2405 Poster Paper

| | | |
|------------------|----------------------|-----------|
| IP 2405 | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Semi-Gloss White | P84920A | P84920A |

4 oz/y² (135g/m²) 6.5mil Watertight and extremely scratchproof paper (even when wet) intended for indoor and short-term outdoor use. Top coated for exceptionally high-quality and economical printing.

[ImagePerfect 2405 Product Bulletin](#)

ImagePerfect 2605 Semi-Rigid Backlit

| | | |
|----------------|----------------------|-----------|
| IP 2605 | 54" Unpunched | |
| Color | 30 Meter | 32.8 Yard |
| White | P84918A | P84918A |

5 oz/y² (175g/m²) 8.5mil Semi-rigid translucent sign face product ideally suited for indoor backlit use in illuminated sign boxes and point-of-sale and retail applications. This specially-coated polyester film guarantees even light distribution and translucence for optimum impact.

[ImagePerfect 2605 Product Bulletin](#)

ImagePerfect 2310 Artistic Canvas

| | | |
|----------------|----------------------|-----------|
| IP 2310 | 54" Unpunched | |
| Color | 30 Meter | 32.8 Yard |
| Matte White | P84923A | P84923A |

13 oz/y² (440g/m²) 21mil Canvas textile printing medium which guarantees the look and feel of real artistic painting reproductions. (Not suitable for printing with latex inks.)

[ImagePerfect 2310 Product Bulletin](#)

ImagePerfect 2320 Artistic Fine Art Canvas

| | | |
|----------------|----------------------|-----------|
| IP 2320 | 54" Unpunched | |
| Color | 30 Meter | 32.8 Yard |
| Matte White | P84924A | P84924A |

12 oz/y² (400g/m²) 20.5mil Fine art canvas textile for the creation of printed output with the look of real artistic paintings. Designed for the presentation of artworks and photos as full color reproductions, where the structure of the fabric is very pronounced and decorative. Common uses include reproductions of fine art paintings, textile walls, textile billboards and posters and exhibition panels. Also used as a display product fixed in a banner track system.

[ImagePerfect 2320 Product Bulletin](#)

ImagePerfect 2324 Wall Textile

| | | |
|----------------|----------------------|-----------|
| IP 2324 | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Matte White | P84946A | P84946A |

7mil Self-adhesive, opaque and water-resistant fabric for application as wallpaper, wall art and wall graphics.

[ImagePerfect 2324 Product Bulletin](#)

ImagePerfect 2325 Display Premium

| | | |
|----------------|----------------------|-----------|
| IP 2325 | 63" Unpunched | |
| Color | 25 Meter | 27.3 Yard |
| Matte White | P84947A | P84947A |

6 oz/y² (200g/m²) 10mil Special polyester fabric for a wide variety of soft signage and textile display applications, including UV backlit installation. Air tight and water tight with good lay flat properties, excellent crease-resistant properties and no fraying of the edges. This is the ideal premium banner for offices, retail environments, and lifestyle and event business locations.

[ImagePerfect 2325 Product Bulletin](#)

New ImagePerfect 2416 PhotoArt Satin Paper

| | | |
|--------------------|----------------------|--|
| IP 2416 | 54" Unpunched | |
| Color | 45 Meter | |
| Satin (semi-gloss) | P85115A | |

Ideal for **photo-quality printing** on high-end, commercial posters, POS, counter-top displays, promo campaigns, etc. It delivers sharp images & high print definition with vibrant colors & high black value, even in the case of facial features & skin tones. The satin (semi-gloss) finish ensures a lower level of surface reflection than would otherwise be the case with products with a glossier finish. Compatible with eco solvent & solvent inks, as well as UV-cured & latex inks.

ImagePerfect 2528 Monomeric Vinyl

| | | |
|----------------|----------------------|-----------|
| IP 2528 | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Gloss White | P84925A | P84925A |

3mil Monomeric vinyl with a permanent acrylic adhesive for indoor and outdoor applications on flat, smooth surfaces, such as point-of-sale and promotional installations. Excellent lay flat properties. (Not suitable for printing with 3rd generation latex on 300 series printers.)

[ImagePerfect 2528 Product Bulletin](#)

ImagePerfect 2536PA Light Silver Frost

| | | |
|--------------------|----------------------|-----------|
| IP 2536PA | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Light Silver Frost | P84927A | P84927A |

3mil Semi-opaque decorative polymeric vinyl window film suitable for creating an etched glass or matte effect on glass and other clean, dry surfaces. PerfectApply technology facilitates repositioning and bubble-free application.

[ImagePerfect 2536PA Product Bulletin](#)

ImagePerfect 2915 Roll-Up Display, Silver Back

| | | |
|----------------|----------------------|-----------|
| IP 2915 | 42" Unpunched | |
| Color | 30 Meter | 32.8 Yard |
| Matte White | P84928A | P84928A |

6.5 oz/y² (220g/m²) 7mil Silver-backed vinyl print medium for a wide range of display and roll-up applications with excellent layflat properties and very high levels of opacity for applications in which a 100% blockout effect is required.

[ImagePerfect 2915 Product Bulletin](#)



ImagePerfect 2905 Roll-Up Display, Blockout

| | | |
|-----------------|----------------------|-----------|
| IP 2905A | 36" Unpunched | |
| Color | 25 Meter | 27.3 Yard |
| Matte White | P84929A | |

7.5 oz/y² (250g/m²) 8mil High quality print medium with excellent layflat and blockout properties for POS and roll-up display systems in which a 100% blockout effect is required.

[ImagePerfect 2905 Product Bulletin](#)

ImagePerfect 2555 StreetApp

| | | |
|----------------|----------------------|-----------|
| IP 2555 | 48" Unpunched | |
| Color | 25 Meter | 50 Meter |
| | 27.3 Yard | 54.7 Yard |
| Matte White | P84948A | P84921A |

6mil Textured, scuff-resistant print medium with a non-slip surface specially engineered for application of graphics to asphalt, tarmac, pavements, concrete, walls, etc.

[ImagePerfect 2555 Product Bulletin](#)



ImagePerfect 2558

multiGrip

| | | |
|------------------|----------------------|-----------|
| IP 2558 | 54" Unpunched | |
| Color | 50 Meter | 54.7 Yard |
| Semi-Gloss White | P84922A | P84922A |

3.5 mil Vinyl with a permanent, aggressive, high-tack adhesive for indoor and outdoor applications on LSE (lowsurface energy) substrates and other "hard to stick to" surfaces such as brick, concrete, and stone.
[ImagePerfect 2558 Product Bulletin](#)

NEW ImagePerfect 2595R9 FloorMinder

| | | |
|------------------|----------------------|-----------|
| IP 2595R9 | 54" Unpunched | |
| Color | 25 Meter | 27.3 Yard |
| White | P85084A | |

8.0mil Textured non-slip vinyl with a solvent based semi- permanent adhesive that is engineered for use in short- term, printable indoor floor graphic installations. Specially created for digital printing on large-format inkjet printers and is suitable for printing with eco solvent and solvent inks as well as UV-cured and latex inks.

[ImagePerfect 2595R9 FloorMinder](#)

NEW ImagePerfect 2595RC CarpetApp

| | | |
|------------------|----------------------|-----------|
| IP 2595RC | 54" Unpunched | |
| Color | 25 Meter | 27.3 Yard |
| White | P85085A | P85085A |

8.0mil Textured non-slip vinyl with a solvent based semi-permanent adhesive that is engineered for use in short- term, indoor floor graphic installations on low-pile carpets. Specially created for digital printing on large-format inkjet printers and is suitable for printing with eco solvent and solvent inks as well as UV-cured and latex inks.

[ImagePerfect 2595RC CarpetApp](#)

NEW ImagePerfect 2830-211 Defense – Matte Clear

| | | |
|------------------|----------------------|-----------|
| IP 2595RC | 54" Unpunched | |
| Color | 25 Meter | 27.3 Yard |
| White | P85085A | P85085A |

3.2mil Defense is a functional laminate with an antimicrobial additive that has been specifically designed for protecting surfaces from micro-organisms such as bacteria, viruses, fungi and parasites in a wide variety of environments.

[ImagePerfect 2830-211 Defense](#)

LexEdge II Wide Format Velvet/Gloss/Matte Clear Polycarbonate

| 10 Mil Clear Velvet/Gloss | 48" Unpunched | |
|---------------------------|---------------|--|
| Color | 25 Yard | |
| Clear Velvet/Gloss | P84971A | |
| Clear Velvet/Matte | P84972A | |

10 mil Lexan® Wide Format passes the ASTM D3359 crosshatch tape test for ink adhesion. Compatible with UV and Latex ink. Coated on the gloss side with enhanced UV ink adhesion. Ideal for adhesive backed projects Velvet side provides excellent scratch/chemical resistance and durability. Ideally suited for reverse print, POP displays, museum, membrane switches, touch-pad overlays.

[Wide Format LexEdge II Product Bulletin](#)

LexEdge FR65 Wide Format Flame Retardant Polycarbonate

| 10 Mil Velvet/Gloss Clear | 48" Unpunched | |
|---------------------------|---------------|--|
| Color | 25 Yard | |
| Clear Velvet/Gloss | P84975A | |

Semi-rigid, 10 mil flame retardant Lexan® material which meets the UL94 V-0 rating/FAA compliant. Compatible with UV and Latex ink. Dimensionally stable at high temperatures and excellent mechanical properties.

Thermo/hydro-formable, emboss-able, foldable and can be die-cut. For use in aviation/transportation, printed circuit board, electronics, high-heat and instrument panels.

[Wide Format FR65 Product Bulletin](#)

Polyester Backlit Wide Format Matte/Gloss White Polyester

| 5 Mil Velvet/Gloss | 48" Unpunched | |
|--------------------|---------------|---------|
| Color | 25 Yard | 25 Yard |
| Translucent White | P84973A | P84973A |

5 Mil Matte/Gloss translucent white polyester. Enhanced robust coating makes it compatible with UV and Solvent ink. Excellent ink adhesion delivers great print resolution and color vibrancy. High weather resistance makes it ideal for indoor and outdoor applications. Waterproof and cleanable. Ideally suited for static and scrolling lightboxes, backlit posters and tradeshow signage.

[Wide Format Polyester Backlit Product Bulletin](#)

Rigid Vinyl Wide Format White Matte PVC

| 10 Mil White Matte | 48" Unpunched | |
|--------------------|---------------|---------|
| Color | 25 Yard | 25 Yard |
| White PVC | P84974A | P84974A |

10 Mil White Matte PVC has great printability and laminates well. Compatible with UV and Latex ink. Economical offering for budget-friendly option. Emboss-able and can be easily die-cut. Ideally suited for POP displays, posters, shelf and tag, promotional items, labels, cards and signage.

[Wide Format Rigid Vinyl Product Bulletin](#)



Gerber **Ink Jet Printing** Consumables

| Description | Part Number |
|---------------------------------|-------------|
| IP Surface Cleaner – 1 Liter | MIP1010 |
| Cleaning Swab, Pack of 50 | P77970A |
| Head Cleaning Wipe, Pack of 300 | P82244A |

Gerber **Material Management** Systems

Gerber Material Management Systems facilitate clean, wrinkle-free and unattended operation by controlling the feeding and take up of substrates during printing and cutting, improving workflow and reducing work space requirements.

| Description | Part Number | |
|-------------------------|-------------|---------|
| | 110V | 230V |
| Gerber EDGE FX MMS | P84937A | P84960A |
| Gerber enVision 375 MMS | P84938A | P84961A |



Gerber **Accessories**

GERBER EDGE

| Description | Part Number |
|--|-------------|
| Cleaning Card, Thermal Printhead, 25 per box | P66530B |
| Registration Eyepiece - Envision/ODYSSEY™ | P67283B |
| Registration Eyepiece - HS/GS and older | P50136B |

Gerber enVision 375 and 750

| Description | Part Number |
|---|-------------|
| EnVision 375 & 750 - 30° Knife Blades, Set of 2 | P63681B |
| EnVision 375 & 750 - 45° Knife Blades, Set of 2 | P63679B |
| EnVision 375 & 750 - 60° Knife Blades, Set of 2 | P63680B |
| EnVision 375 & 750 - Pen, Felt Tip Black - Set of 5 | P59259A |
| EnVision 375 & 750 - Swivel Knife Assembly with 45° Blade | P65916B |
| EnVision 375 Cutting Strip, 15" | P66119B |
| EnVision 375 Registration Eyepiece | P67283B |

GS, HS, GS^{plus} and HS^{plus} Plotter

| Description | Part Number |
|---|-------------|
| Knife Holder with 30° Blade | P56734A |
| Knife Holder with 60° Blade | P56737A |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, HS Swivel | P56928B |
| Knife Assembly with Shoe & 2 blades, GS Drag | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction | P26381D |
| Penholder with Black Pen | P66925A |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Registration Eyepiece for use with EDGE Prints | P50136B |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |
| Cable, PC to Plotter - 50 feet | P61414C |



Gerber **Accessories** – continued**GSx™ and GSx plus™**

| Description | Part Number |
|------------------------------------|-------------|
| Accessory Kit | P55771C |
| Knife Assembly with Shoe & 2blades | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Tweezers | P25933A |

Monument– GS15 plus™ M and GS750 plus™ M

| Description | Part Number |
|---|-------------|
| Cable, PC to Plotter - 50 feet | P61414C |
| Knife Assembly with Shoe & 2 blades, GS Drag & Select 15™ | P56518B |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Knife Blade, GS Drag | P44985B |
| Knife Blade, HS Swivel | P56928B |
| Knife Holder with 30° Blade | P56734A |
| Knife Holder, Adjustable with 60° Blade | P56737A |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |



Gerber **Legacy Plotter Accessories**

P2C

| Description | Part Number |
|-------------------------|-------------|
| Blade - Single 60° P2C | P78400A |
| Blades - 5-Pack 60° P2C | P78398A |
| Blades 5-Pack 36° P2C | P78397A |
| Cutting strip P2C 600 | P78399A |

FasTrack™ and EmbossTrack™

| Description | Part Number |
|---|-------------|
| FasTrack/EmbossTrack Pen, Felt Tip Black - Set of 5 | P59259A |
| FasTrack Knife Holder NO Depth Indicator | P61637A |

Signmaker®/Graphix® Stacking Weight

| Description | Part Number |
|---|-------------|
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Material Roll Holder, Low Friction | P26381D |
| Pen Ball Point Medium, Black | P25927A |
| Penholder with Black Pen | P66925A |
| Registration Eyepiece - HS/GS and older | P50136B |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |

S/750™, Signmaker®/750, Graphix®/750, GSP® SPRINT™

| Description | Part Number |
|------------------------------|-------------|
| Penholder with Black Pen | P66925A |
| Pen Ball Point Medium, Black | P25927A |
| Theta Knife Lift Washer | P27081B |
| | |



Gerber **Legacy Plotter Accessories** – continued

GSP SPRINT IIB™, SuperSprint™, SuperSprint Model B

| Description | Part Number |
|--|-------------|
| Cable, PC to Plotter - 50 feet | P61414C |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Knife Holder with 30° Blade | P56734A |
| Knife Holder with Shoe & 2 blades, GS Drag & Select 15 | P56518B |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Registration Eyepiece - HS/GS and older | P50136B |
| Squeegee | P23541C |
| Tweezers | P25933A |

Graphix 2

| Description | Part Number |
|------------------------------|-------------|
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Pen Ball Point Medium, Black | P25927A |
| Squeegee | P23541C |
| Tweezers | P25933A |

ODYSSEY and ODYSSEY XP

| Description | Part Number |
|--------------------------------------|-------------|
| 30° Knife Blades, Set of 2 | P63681B |
| 45° Knife Blades, Set of 2 | P63679B |
| 60° Knife Blades, Set of 2 | P63680B |
| Registration Eyepiece | P67283B |
| Swivel Knife Assembly with 45° Blade | P65916B |



Gerber **Legacy Plotter Accessories** – continued

Select 15

| Description | Part Number |
|--|-------------|
| Accessory Kit | P55771C |
| Knife Assembly with Shoe & 2 blades, GS Drag & Select 15 | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Tweezers | P25933A |

Signer

| Description | Part Number |
|------------------------|-------------|
| Knife Blade, 30-Degree | P47281B |



Gerber Legacy Plotter Accessories – continued

Gerber Routing Bits

Gerber Platinum Specialty Bits

Gerber Platinum Specialty bits take the guesswork out of choosing the correct bit for a specific substrate. Gerber Platinum bit descriptions include an application code which identifies materials and applications for which the bit is most suited. The application code is etched into the shank of the bit, along with the part number, for easy identification once the bit has been removed from its sleeve. [Routing and Engraving Bits Catalog](#)

| Application Reference Chart for Gerber Platinum bits | | |
|--|-----------------------|--|
| AW | Aluminum & Wood | 1-Flute Upcut O Flute for Alucobond®, Diond®, Dilite®, Hardwood, Softwood, Non-Ferrous Metals (Aluminum, Brass, Copper) |
| GP | General Purpose | 1-Flute Upcut Super O Flute for Hard and Soft Plastic, Hard and Soft Woods, Wood and Plastic Composites. |
| HPF | Hard Plastic & Foam | 1-Flute Upcut O Flute for Solid Surface (Avonite®, Corian®), Cast Acrylic |
| SPF | Soft Plastic & Foam | 1-Flute Upcut O Flute for PVC Foam (Celtec®, Trovicel®, Sintra®, Kometex®), HDU (Signfoam®, Precision Board™), Extruded Acrylic, Styrene, Polycarbonate (Lexan), HDPE (Polycarve®) |
| LV | Laminates and Veneers | Produces clean top and bottom edges on single and double-sided laminated substrates. For Hardwood, Softwood, Wood Composites (MDO, MDF, Plywood, Particle board) See footnotes for more information. |
| APS | All Purpose Straight | 1-Flute Straight for Substrates with thin laminates, foam boards (clay coated paper and styrene surfaces; Fome-Cor®, Gatorfoam®, Gatorplast®) |
| F | Foams (Special Long) | 2-Flute Upcut Specially designed for thick foams and soft plastics from 1-1/4" to 2-1/4". HDU (Precision Board™, Signfoam®) |
| APC | All Purpose Cleanout | 2-Flute Upcut Bottom Surfacing Produces a clean bottom finish with a .002" radius inside bottom edge. HDPE (Polycarve®), Aluminum, Woods, Solid Surface |
| FT | Folding Tool | 2-Flute Straight V Flute V Bottom Carbide tipped specialty bit designed for folding Alucobond®, Diond®, Dilite® up to 90-degrees. |
| 3DM | 3D Modeling | 2-Flute Upcut Ballnose for three-dimensional modeling. Advanced grind technology produces a superior cut in plastics, woods composites and aluminum. |



Gerber Routing Bits – continued

| Application Code | Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|---------------------|----------------|------------------|---------------------|----------------|-------------|
| Gerber Platinum AW | 1/8" | 1/16" | 1/4" | 1-1/2" | P79820A |
| Gerber Platinum AW | 1/8" | 1/8" | 1/4" | 1-1/2" | P79821A |
| Gerber Platinum AW | 1/4" | 3/16" | 3/8" | 2" | P79822A |
| Gerber Platinum AW | 1/4" | 1/4" | 3/8" | 2" | P79823A |
| Gerber Platinum AW | 1/4" | 1/4" | 3/4" | 2-1/2" | P79824A |
| Gerber Platinum AW | 3/8" | 3/8" | 3/4" | 3" | P80307A |
| Gerber Platinum GP | 1/4" | 1/8" | 1/2" | 2" | P79825A |
| Gerber Platinum GP | 1/4" | 3/16" | 5/8" | 2" | P79826A |
| Gerber Platinum GP | 1/4" | 3/16" | 1-1/4" | 3" | P79827A |
| Gerber Platinum GP | 1/4" | 1/4" | 5/8" | 2" | P79828A |
| Gerber Platinum GP | 1/4" | 1/4" | 7/8" | 2-1/2" | P79829A |
| Gerber Platinum GP | 1/4" | 1/4" | 1-1/2" | 3" | P79830A |
| Gerber Platinum GP | 1/4" | 1/8" | 1-1/8" | 2-1/2" | P80300A |
| Gerber Platinum GP | 1/8" | 1/16" | 1/4" | 2" | P80356A |
| Gerber Platinum GP | 3/8" | 3/8" | 1-1/8" | 3" | P80301A |
| Gerber Platinum HPF | 1/4" | 1/16" | 1/4" | 2" | P80340A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1/2" | 2" | P80341A |
| Gerber Platinum HPF | 1/4" | 3/16" | 5/8" | 2" | P80342A |
| Gerber Platinum HPF | 1/4" | 1/4" | 3/4" | 2-1/2" | P80343A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1/4" | 2" | P80344A |
| Gerber Platinum HPF | 1/4" | 3/16" | 3/8" | 2" | P80345A |
| Gerber Platinum HPF | 1/4" | 1/4" | 1/2" | 2" | P80346A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1-1/8" | 2-1/2" | P80348A |
| Gerber Platinum HPF | 1/4" | 3/16" | 1-1/8" | 2-1/2" | P80347A |
| Gerber Platinum HPF | 1/4" | 1/4" | 1-1/2" | 3" | P80370A |



www.bciimage.com

866-971-1008

Gerber Routing Bits – continued

| Application Code | Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|---------------------------------|----------------|------------------|---------------------|----------------|-------------|
| Gerber Platinum SPF | 1/4" | 1/8" | 1/4" | 2" | P80363A |
| Gerber Platinum SPF | 1/4" | 1/4" | 3/4" | 2-1/2" | P80364A |
| Gerber Platinum SPF | 1/4" | 3/16" | 3/8" | 2" | P80362A |
| Gerber Platinum SPF | 1/4" | 3/16" | 5/8" | 2" | P80365A |
| Gerber Platinum SPF | 1/4" | 1/8" | 1/2" | 2" | P80366A |
| Gerber Platinum SPF | 1/4" | 1/16" | 1/4" | 2" | P80367A |
| Gerber Platinum SPF | 1/4" | 1/4" | 1-1/2" | 3" | P80368A |
| Gerber Platinum LV ¹ | 1/4" | 3/16" | 5/8" | 2-1/2" | P80303A |
| Gerber Platinum LV ² | 1/4" | 1/4" | 7/8" | 2-1/2" | P80304A |
| Gerber Platinum LV ² | 3/8" | 3/8" | 7/8" | 3" | P80305A |
| Gerber Platinum LV ² | 3/8" | 3/8" | 1-1/8" | 3" | P80306A |
| Gerber Platinum LV ³ | 1/4" | 1/4" | 1/2" | 2" | P72975B |
| Gerber Platinum LV ³ | 1/8" | 1/8" | 1/2" | 2-1/2" | P72976B |
| Gerber Platinum LV ³ | 1/4" | 1/4" | 3/4" | 2-1/2" | P72977B |
| Gerber Platinum LV ⁴ | 1/8" | 1/8" | 3/4" | 2" | P73832B |
| Gerber Platinum LV ⁵ | 3/16" | 3/16" | 3/4" | 2-1/2" | P74596B |
| Gerber Platinum APS | 1/4" | 1/8" | 1/2" | 2" | P80336A |
| Gerber Platinum APS | 1/4" | 3/16" | 5/8" | 2" | P80337A |
| Gerber Platinum APS | 1/4" | 1/4" | 3/4" | 2-1/2" | P80338A |
| Gerber Platinum APS | 1/4" | 1/4" | 1-1/4" | 4" | P80339A |
| Gerber Platinum F | 1/4" | 1/4" | 1-1/4" | 3" | P80349A |
| Gerber Platinum F | 1/4" | 1/4" | 2-1/4" | 4" | P80350A |
| Gerber Platinum F | 3/8" | 3/8" | 1-1/2" | 4" | P80351A |
| Gerber Platinum F ⁶ | 1/4" | 1/4" | 2-1/4" | 3-1/2" | P80160B |
| Gerber Platinum APC | 1/4" | 1/4" | 3/8" | 2" | P80359A |
| Gerber Platinum APC | 3/8" | 3/8" | 5/8" | 2-1/2" | P80360A |
| Gerber Platinum FT | 1/4" | 1/2" | 3/8" | 2" | P80361A |
| Gerber Platinum 3DM | 1/8" | 1/8" | 1/2" | 2" | P80352A |
| Gerber Platinum 3DM | 1/4" | 3/16" | 3/4" | 2" | P80353A |
| Gerber Platinum 3DM | 3/8" | 3/8" | 1-1/8" | 3" | P80355A |

1. 1-Flute Compression
2. 2-Flute Compression
3. 2-Flute Straight (There is no Application Code on the shaft of this bit.)
4. 1-Flute Radial (There is no Application Code on the shaft of this bit.)
5. Spiral (There is no Application Code on the shaft of this bit.)
6. Diamond Cut



www.bciimage.com

866-971-1008

Gerber Routing Bits – continued

Gerber Gold™ Routing Bits

Gerber Gold routing bits are designed for greater performance and longer tool life. These remarkable routing bits are made from the highest quality micrograin carbide to the tightest tolerances in the industry. They are then coated with titanium nitride to enhance their durability even further. The result is superior edge quality and lower tooling cost.

These high performance bits can be used with all Gerber routers/engravers, as well as with other automated and manual routers.

Two-Flute Spiral Bits

These are the most versatile type of bits and are used for general routing of the following materials:

- Harder Materials: Such as plate aluminum, brass, bronze, copper; cast acrylics, solid surface materials, particleboard, plywood, and hardwoods.
- Softer Materials: Such as foam boards, engraving stock, PVC (Sintra®, Komatex, Trovicel®, Celtec, etc.) soft plastics, soft woods, and similar density materials.

These bits provide excellent chip removal from the cut because of the upward spiral action. They also assure excellent edge quality on these materials.

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|----------------|------------------|---------------------|----------------|-------------|
| 1/8" | 1/16" | 3/16" | 1-1/2" | P50521B |
| 1/8" | 1/8" | 1/4" | 1-1/2" | P50525B |
| 1/8" | 1/8" | 1/2" | 1-1/2" | P50522B |
| 1/4" | 3/16" | 3/8" | 2" | P50526B |
| 1/4" | 3/16" | 5/8" | 2" | P50523B |
| 1/4" | 3/16" | 1-1/8" | 3" | P50528B |
| 1/4" | 1/4" | 1/2" | 2" | P50527B |
| 1/4" | 1/4" | 3/4" | 2-1/2" | P50524B |
| 1/4" | 1/4" | 1-1/2" | 3" | P50529B |
| 1/4" | 1/4" | 2-1/4" | 3-3/4" | P50530B |
| 1/8" | 1/8" | 1-1/4" | 3" | P52819B |

Single-Flute Radial Bits

These bits are ideal for cutting sheet aluminum and brass with a thickness of .060" (1.5mm) and less, as well as soft woods and soft alloy aluminum. Unlike the spiral flute bits, these bits have a single straight cutting edge which doesn't pull up on the work piece. This straight flute allows the bit to "shear" the chip off at the top edge of the material being cut without leaving a burr. The chip extraction, however, will not be as good as with a spiral bit.

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|----------------|------------------|---------------------|----------------|-------------|
| 1/4" | 3/16" | 5/8" | 2" | P50533B |
| 1/4" | 1/4" | 3/4" | 2-1/2" | P50534B |
| 1/4" | 1/4" | 1-1/2" | 3-1/2" | P50535B |

Three-Flute Spiral Tapered Bits

For use on all materials listed for two-flute spiral bits. Tapered bits produce an angle on the edge of the material being cut. As a result, these bits are excellent for cutting vacuum form molds. These bits can also be used to create a "halo" effect without incurring additional cost when other than a straight edge is desired for special applications.

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Angle | Part Number |
|----------------|------------------|---------------------|----------------|-------|-------------|
| 1/4" | 1/8" | 1" | 2-1/4" | 7° | P50643B |
| 1/4" | 1/8" | 1/2" | 1-7/8" | 3° | P50531B |

Gerber Routing Bits – continued

Auto-Carve™ 3D Carving Bits

Gerber V-cutting carbide bits deliver superb cut quality, maximum cutting efficiency, and the longest possible tool life. These specifically designed tools are produced within extremely tight manufacturing tolerances, ensuring the level of accuracy essential to the automated carving process.

Design considerations that impact tool selection:

For Small, Intricate Graphics with Thin Stroke Widths: Choose a tool with a steep angle, such as the

90° tool. For Large Graphics with Wide Stroke Widths: Choose a tool with a shallower angle, such as

the 150° tool.

| Shank Diameter | Tool Diameter | Tool Degree | Part Number |
|----------------|---------------|-------------|-------------|
| 1/4" | 1 1/4" | 90° | P56371A |
| 1/4" | 1 1/4" | 100° | P56372A |
| 1/4" | 1 1/4" | 110° | P56373A |
| 1/4" | 1 1/4" | 120° | P56374A |
| 1/4" | 1 1/4" | 130° | P56375A |
| 1/4" | 1 1/4" | 140° | P56376A |
| 1/4" | 1 1/4" | 150° | P56377A |

Gerber Engraving Bits

Gerber also offers high quality, long and short type industry standard engraving bits. Designed to give excellent results with Gerber equipment, they also work with other routers/engravers. Gerber engraving bits are ideal for applications using Dimension Plus®, ROWMARK®, acrylic, polycarbonate, and other plastic materials.

Engraving Bits (Long Type)

These bits are for top-loading engraving spindles. Use with Gerber Engraver Options.

| Shank Diameter | Cutting Diameter | Part Number |
|----------------|------------------|-------------|
| 1/4" | .010" | P47767A |
| 1/4" | .060" | P47775A |

Engraving Bits (Short Type)

These bits are for bottom-loading collet systems. Use with Router Motor or High Frequency Spindle Option.

| Shank Diameter | Cutting Diameter | Part Number |
|----------------|------------------|-------------|
| 1/4" | .010" | P50536A |
| 1/4" | .020" | P50537A |
| 1/4" | .030" | P50538A |
| 1/4" | .060" | P50539A |
| 1/4" | .090" | P50540A |



Gerber **Routing Bits** – continued

Other Gerber Specialty Bits

Braille / Tactile Bits

These bits are used to create ADA (Americans with Disabilities Act) compliant signs. All have shank diameters of 1/4" (6.0mm).

- The Long Type for use with Dimension 200®, ADVANTAGE Router™ 600 and Sabre™ Engraver Options.
- The Short Type has the same tip geometry as the Long Type, but is cut shorter for use in a Router Motor or High Frequency Spindle Option.

| Description | Use | Part Number Long Type | Part Number Short Type |
|-----------------------|---|-----------------------|------------------------|
| Braille Cutter | For cutting Braille dots | P47763A | P47849A |
| .015" Profile Cutter | For cutting ADA sign borders and surface-mounted text | P50624A | P50622A |
| .060" Parallel Cutter | For cutting both letter clean-out pockets in the sign face and matching male characters for Auto-Inlay™ method) | P50623A | P50625A |

Table Surfacing Bits

For use with a Router Motor or High Frequency Spindle to mill the sacrificial table surface perfectly flat in respect to the Z axis and aid in precise depth control when cutting.

| Description | Part Number |
|--|-------------|
| 1/4" shank diameter for AR600 or Sabre | P52617A |
| 1/2" shank diameter for AR600 or Sabre | P56327A |



Gerber Router Accessories

D200(X) Spindle Option Accessories

| Description | Part Number |
|---|-------------|
| Collet 1/4"-1.3hp Perske | P50214A |
| Collet 1/4" with Nut - Porter Cable Motor | P48679A |
| Collet Sleeve, .125 inch | P75886B |
| De-Burring Tool | P50551A |

D200 Accessories

| Description | Part Number |
|---|-------------|
| Ball Point Pen - Red Fine | P32431A |
| Ball Point Pen Black Fine | P32433A |
| Ball Point Pen-Blue Fine | P32432A |
| Collet 1/2" W/Nut- Porter Cable Motor | P48680A |
| Collet 1/4" W/Nut- Porter Cable Motor | P48679A |
| Collet Sleeve, .125 inch | P75886B |
| De-Burring Tool | P50551A |
| Swivel Knife Blade Replacement | P42254A |
| Tool Height Gage, Sabre - Scratch Plate | P62836B |

Sabre Standard Accessories

| Description | Part Number |
|---|-------------|
| Collet Sleeve, .125 inch | P75886B |
| Collet, .250 inch (Porter Cable Motor) | P48679A |
| Collet, .500 inch (Porter Cable Motor) | P48680A |
| De-Burring Tool | P50551A |
| Trim Mist – Mist coolant fluid for the Sabre – one gallon | P50552A |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Swivel Knife Blade Replacement | P42254A |
| Tool Height Gage, Sabre - Scratch Plate | P62836B |
| Work Clamp Knob, Sabre | P62041B |
| Work Clamp T-Nut, Sabre | P62510B |
| Work Clamp, Sabre | P62039B |



Gerber Router Accessories – continued

Engraver, Porter-Cable and Perske Motor and Accessories

| Description | Part Number | |
|--|----------------------------------|---------|
| Engraver Option | Brush, Cleaning - Engraver | P26492A |
| Perske 7 HP High Frequency Spindle and Porter Cable Motor | Collet, .250 inch (Perske Motor) | P52549A |
| | Collet, .500 inch (Perske Motor) | P52550A |
| | Nut, M27 | P52548A |
| | Wrench Spanner, 24 mm | P52547A |
| | Wrench, 24 mm | P52546A |
| | COLLET ¼" w/NUT-PRTR CBL | P48679A |
| | COLLET ½" w/NUT-PRTR CBL | P48680A |
| .125 DIA BRASS insert | P75886B | |

Sabre ATC Accessories

| Description | Part Number |
|-------------------------------|-------------|
| Collet .125" (3mm) ATC only! | P78168A |
| Collet .500" (12mm) ATC only! | P78169A |

Gerber Router Materials

| Description | Part Number |
|--|-------------|
| Double-sided router tape 1" x 60 yards | P71165A |
| Double-sided router tape 2" x 60 yards | P71166A |



7-1/2" Materials

Material for Gerber Signer, LetterSmith and LC-7
plotters See page 30 for Accessories for Small Format
Plotters

Gerber 220 High Performance Film manufactured by 3M

| 220 High Performance | 7.5" Punched | |
|----------------------|--------------|---------|
| Color | Code | 25 Yard |
| Black | 220-12 | P34843A |
| Matte Black | 220-22 | P34841A |
| Matte White | 220-20 | P83227A |
| White | 220-10 | P83245A |
| Cardinal Red | 220-53 | P44284A |

High performance 2 mil cast vinyl specifically developed for optimal cutting, weeding, and application. Clear pressure-sensitive adhesive allows production of attractive two-way markings. Excellent durability with five to eight-year exterior life. [Gerber 220 Product Bulletin](#)

Gerber 280 Reflective Sheeting manufactured by 3M

| 280 Reflective | 7.5" Punched | |
|----------------|--------------|---------|
| Color | Code | 10 Yard |
| Black | 280-85 | P37352A |
| White | 280-10 | P37353A |

Series 280 7.5 mil reflective sheeting is designed for markings requiring high visibility, both day and night. The material has good flexibility and provides excellent conformance to flat or moderately curved substrates. Seven-year exterior life on all colors; five-year exterior life on black. [Gerber 280 Product Bulletin](#)

enVision is a trademark of 3M Company that is licensed to Gerber.

